



Infections or Vaccines Associated with Finkelstein-Seidlmayer Vasculitis: Systematic Review

Gabriel Bronz¹ · Céline Betti¹ · Pietro O. Rinoldi¹ · Lisa Kottanattu^{1,2} · Mario G. Bianchetti^{2,3} · Danilo Consolascio³ · Marcel M. Bergmann^{4,5} · Gregorio P. Milani^{6,7} · Benedetta Terziroli Beretta Piccoli^{2,8}  · Sebastiano A. G. Lava^{9,10}

Accepted: 18 April 2022
© The Author(s) 2022

Abstract

Finkelstein-Seidlmayer vasculitis, also referred to as acute hemorrhagic edema of young children, is a rare small-vessel leukocytoclastic vasculitis. This condition is skin-limited, mainly affects infants up to 2 years of age and spontaneously remits. It has been suggested that an infection or a vaccine precede (by ≤ 14 days) this vasculitis. To better understand the interplay between infections or vaccines and Finkelstein-Seidlmayer vasculitis, we utilized the data contained in the Acute Hemorrhagic Edema Bibliographic Database AHEBID. The database, initiated in 2019, is being regularly updated, encompasses the entire original literature on Finkelstein-Seidlmayer vasculitis published after the original description and is attainable on request. The possible existence of an infectious or a vaccine precursor was addressed in 447 cases. Most cases were preceded by an infection ($N = 384$; 86%), by a vaccination ($N = 20$; 4.4%), or both an infection and a vaccination ($N = 17$; 3.8%). No precursor was reported in the remaining cases ($N = 26$; 5.8%). Two distinct infections preceded the onset of the vasculitis in 11 of the 381 cases with infection-associated Finkelstein-Seidlmayer vasculitis. The following infectious precursors were reported: upper respiratory tract infection ($N = 292$); acute gastroenteritis ($N = 40$); a benign febrile infection ($N = 36$); lower respiratory tract infection ($N = 22$); further infections ($N = 8$). The temporal relationship between the infectious precursor and the onset of the skin eruption was detailed in 336 cases: 54 cases developed before resolution and 282 after resolution of the infection. In conclusion, most cases of Finkelstein-Seidlmayer vasculitis are preceded by an infection. In a minority of cases, this skin vasculitis develops before resolution of the infection. In most cases, however, this vasculitis develops after resolution of the infection. More rarely, this vasculitis is preceded by a vaccination.

Keywords Acute hemorrhagic edema of young children · Cockade purpura with edema · Finkelstein-Seidlmayer vasculitis · Infection · Precursor · Small-vessel leukocytoclastic vasculitis · Vaccination

✉ Benedetta Terziroli Beretta Piccoli
benedetta.terziroli@hin.ch

¹ Pediatric Institute of Southern Switzerland, Ente Ospedaliero Cantonale, Bellinzona, Switzerland

² Faculty of Biomedical Sciences, Università Della Svizzera Italiana, Lugano, Switzerland

³ Family Medicine, Faculty of Biomedical Sciences, Università Della Svizzera Italiana, Lugano, Switzerland

⁴ Centro Pediatrico del Mendrisiotto, Mendrisio, Switzerland

⁵ Pediatric Allergy Unit, Department of Woman, Child and Adolescent, University Hospitals of Geneva, Geneva, Switzerland

⁶ Pediatric Unit, Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy

⁷ Department of Clinical Sciences and Community Health, Università Degli Studi Di Milano, Milan, Italy

⁸ Epatocentro Ticino, Lugano, Switzerland

⁹ Pediatric Cardiology Unit, Department of Pediatrics, Centre Hospitalier Universitaire Vaudois and University of Lausanne, Lausanne, Switzerland

¹⁰ Heart Failure and Transplantation, Department of Paediatric Cardiology, Great Ormond Street Hospital, London, UK

Introduction

Finkelstein-Seidlmayer vasculitis, also referred to as acute hemorrhagic edema of young children, cockade purpura with edema, infantile erythema multiforme, or infantile Henoch-Schönlein purpura, is a rare immune-mediated small-vessel leukocytoclastic vasculitis [1–4]. This condition is skin-limited, mainly occurs in infants up to 2 years of age, spontaneously remits in a maximum of 3 weeks and does not tend to recur [1–4]. Affected patients are well-appearing and acutely present with widespread and symmetrically distributed annular or nummular eruptions and edema [1–4]. The annular or nummular eruptions are distributed over the legs, feet, face, arms, ears, trunk, and genitals in that order of frequency. The distribution is identical for edema except for feet, which are very often affected [1–4].

Textbooks and narrative reviews state that Finkelstein-Seidlmayer vasculitis is often preceded by a respiratory tract infection, a gastroenteritis, a urinary tract infection, a benign febrile disease with unknown source, or a vaccine [2, 4]. To better understand the interplay between infections or vaccines and Finkelstein-Seidlmayer vasculitis, we utilized the data contained in the Acute Hemorrhagic Edema Bibliographic Database AHEBID.

Methods

AHEBID was initiated by some of us [3, 5, 6] in 2019, is being regularly updated and encompasses the entire original literature on Finkelstein-Seidlmayer vasculitis published after the original description in 1913 [7]. The database is attainable on request (email: finkelstein-seidlmayer@usi.ch). For this purpose, the bibliography search engines Excerpta Medica, the National Library of Medicine database and Google scholar are screened every second month for “acute hemorrhagic edema”, “cockade purpura and edema”, “Finkelstein-Seidlmayer” and “infantile Henoch-Schönlein purpura” without any language restriction. To increase the rigor of the literature search, we conduct the search in agreement with 2020 version of the Preferred Reporting Items for Systematic Reviews and Meta-Analyses. AHEBID also incorporates secondary references and the literature on Finkelstein-Seidlmayer vasculitis collected by one of us in the early eighties of the last century [8]. As of September 1, 2021, the database (Fig. 1) included 314 (see: supplementary material) original reports (letters, case reports or full-length articles) published after 1969, which addressed 504 (349 boys and 155 girls) individually documented cases: 7 neonates

less than 4 weeks of age, 252 infants less than 12 months of age, 181 infants 12 to 23 months of age and 63 children 24 months or more of age (this piece information was not available in one case). For all patients, the diagnosis of hemorrhagic edema made in the original reports was reviewed using three well established clinical criteria: raised annular or nummular eruptions and inflammatory skin edema (mostly non-pitting, tender and sometimes also warmth) in a well-appearing and playful child with stable vital signs [5]. The clinical diagnosis was supported by a skin biopsy [9] disclosing a non-granulomatous neutrophil infiltration into small-vessel walls with karyorrhexis in 248 (50%) cases.

For the present study, we meticulously extracted published cases of Finkelstein-Seidlmayer vasculitis where the existence of an associated infectious or vaccine precursor (by 14 days or less) was discussed [4, 5]. The temporal relationship between infection and onset of Finkelstein-Seidlmayer vasculitis was employed to classify the condition as intra- (skin vasculitis starting before resolution of the infection) or post-infectious (skin disorder starting after resolution of the infection). The term latency was used to denote the time (in days) elapsed from onset of infectious symptoms to onset of skin eruption. The infectious precursors [10–12] were classified as depicted in Table 1.


Categorical variables are shown as counts and were analyzed using the Fisher’s exact test. Numerical variables are presented as medians and interquartile ranges and were compared using the Mann–Whitney U test. Two-sided *P*-values of less than 0.05 were regarded as statistically significant.

Results

The possible existence of an infectious or a vaccine precursor was addressed in 447 cases and not addressed in the remaining 57 cases (Fig. 2). Cases with this piece of information were slightly younger than cases without it (11 [8–18] months of age vs 14 [9–21] months of age, *P* < 0.05). The male-to-female ratio was similar in the two groups (309 boys and 138 girls, respectively, 40 boys and 17 girls). Most cases were preceded by an infection (86%), by a vaccination (4.4%), or both an infection and a vaccination (3.8%). No precursor was reported in the remaining cases (5.8%). Two distinct infections preceded the onset of the skin eruptions in 11 of the 384 cases with infection-associated Finkelstein-Seidlmayer vasculitis.

The 449 precursors noted in 423 infants are given in Fig. 3. Most cases were preceded by an upper respiratory tract infection (65%), followed by a vaccine (8.2%), a gastroenteritis (8.9%), a benign febrile infection (8.0%) or a lower respiratory infection (4.9%).

Fig. 1 Finkelstein-Seidlmayer vasculitis. Flowchart of the literature search. The preferred reporting items for systematic reviews and meta-analyses were followed



Ninety-seven microorganisms possibly causing the infectious precursor were detected in 85 infants: 54 bacteria, 41 viruses, and 2 fungi (Table 2).

The temporal relationship between the infectious precursor and the onset of the skin eruption was not detailed in 65 cases (47 boys and 18 girls, 11 [8–18] months of age). This parameter was reported in the remaining 336 cases (230 boys and 106 girls, 11 [8–17] months of age). Fifty-three cases (38 boys and 15 girls, 11 [7–14] months of age) were intra- and 283 (191 boys and 92 girls, 11 [8–17] months of age) post-infectious (Table 3).

The latency time was significantly lower in the 23 intra-infectious cases ($P < 0.001$) as compared with the 205 post-infectious cases.

In 37 cases (24 males and 13 females, 12 [7–18] months of age), the skin eruptions were preceded by one or more active immunizations (Table 4). The temporal relationship between the vaccination and the onset of this vasculitis was not described in 10 cases (8 boys and 2 girls, 17 [8–20] months of age). The latency time was 7 [3–13] days in the remaining 27 cases (16 boys and 11 girls, 12 [7–18] months of age).

Table 1 Classification of infections utilized for the present analysis

- **Acute upper respiratory tract infection**

- One or more of the following signs: purulent nasal discharge; cough; red, bulging tympanic membrane with loss of normal landmarks; purulent ear discharge; pharyngo-tonsillar erythema or exudate
- The term was also employed for patients diagnosed with common cold, pharyngitis, tonsillitis, or otitis media in the original report

- **Acute lower respiratory tract infection (including pneumonia)**

- Cough associated with one or more of the following signs: labored breathing; chest indrawing; rales; stridor; wheezing; cyanosis; respiratory rate > 50/min
- The term was also employed for cases diagnosed with croup, bronchitis, bronchiolitis, or pneumonia in the original report

- **Acute lower respiratory tract infection (including pneumonia)**

- Cough associated with one or more of the following signs: labored breathing; chest indrawing; rales; stridor; wheezing; cyanosis; respiratory rate > 50/min
- The term was also employed for cases diagnosed with croup, bronchitis, bronchiolitis, or pneumonia in the original report

- **Acute gastroenteritis**

- Three or more loose stools per day (or a number of bowel movements exceeding the child's usual number of daily bowel movements by two or more) with or without associated fever and vomiting
- The term was also employed for cases diagnosed with acute gastroenteritis or acute infectious diarrhea in the original report

- **Urinary tract infection**

- Increased body temperature, failure to thrive, poor feeding or acute urinary symptoms associated with urinalysis disclosing a pathological pyuria and a significant positive urine culture (excluding lactobacilli, corynebacteria, and coagulase-negative staphylococci)
- The term was also employed for cases diagnosed with urinary tract infection or pyelonephritis in the original report


- **Benign febrile infection without a source**

- Fever in a previously healthy, otherwise well-appearing child when a complete history and physical examination do not identify a specific source of infection. Occult infections such as urinary tract infection, bacteremia or pneumonia have also been reasonably excluded
- The term was also employed for cases diagnosed with benign febrile infection, fever without localizing signs or fever without a focus in the original report

- **Further infections**


The diagnosis made in the original report was retained

Fig. 2 Finkelstein-Seidlmayer vasculitis. Precursors. The term AHEBID denotes the Acute Hemorrhagic Edema Bibliographic Database



* Two infections in 11 cases

Fig. 3 Infectious or vaccine precursors noted in 423 patients with Finkelstein-Seidlmayer vasculitis



Discussion

This systematic literature review documents that most cases of Finkelstein-Seidlmayer vasculitis are preceded by an infection. In a minority of cases, this skin vasculitis develops before resolution of the infection, i.e. intra-infectiously. In the vast majority of cases, however, this vasculitis develops after resolution of the infection, i.e., post-infectiously. More rarely, this vasculitis is preceded by a vaccination or both an infection and a vaccination, indicating that infections by far more frequently trigger immune-mediated diseases than vaccinations.

The reason for the unique distribution of skin lesions with predilection for face and ears remains unclear. The following possible explanations may be offered. In immunoglobulin A vasculitis, the location of skin lesions is notoriously gravity-dependent. Since infants with Finkelstein-Seidlmayer vasculitis spend most of their time lying down, gravity cannot play a role. The main factor that may modulate the distribution of lesions is the blood supply: the proportionally large head and face with a corresponding increase in blood supply in infants predisposes them more to facial lesions. A predilection for the face is observed also in infants with strawberry hemangioma, where the subcutaneous arteries that nourish the hemangioma are mostly found in the head [4]. Finally, it is tempting to assume a role also for skin-resident cells.

Infectious causes have long been suspected for many vasculitis syndromes [13, 14]. In most cases, the vascular injury has been ascribed to immune-mediated mechanisms rather than direct microbial invasion [13, 14]. There is a recognized association between some vasculitides and infections: *Mycobacterium tuberculosis* is likely involved in Takayasu arteritis [15] and a *Burkholderia* in Horton giant cell arteritis [16]; Hepatitis B and C viruses have been associated to

polyarteritis nodosa [17]; *Staphylococcus aureus* has been the focus of many studies on granulomatosis with polyangiitis [18]; finally, Hepatitis C virus is a cause of cryoglobulinemia vasculitis [19]. Immunoglobulin A-associated small-vessel leukocytoclastic vasculitis has been associated with bacteria such as group A Streptococci, atypical bacterial pathogens (including *Mycoplasma*), *Helicobacter pylori*, *Staphylococcus aureus*, *Salmonella enteritidis* or *Campylobacter*, and with viruses such as Parvovirus B19, Varicella-zoster virus, Epstein-Barr virus and especially common respiratory viruses [20]. Very recently, immunoglobulin A vasculitis has also been associated with severe acute respiratory syndrome coronavirus 2 [21].

The precursors noted in Finkelstein-Seidlmayer vasculitis are concurrently similar and different from those observed in immunoglobulin A vasculitis. Both Finkelstein-Seidlmayer vasculitis and immunoglobulin A vasculitis are often preceded either by a vaccination or, more frequently, an infection. However, *Streptococcus pyogenes* and atypical bacterial pathogens including *Mycoplasma* very often precede immunoglobulin A vasculitis but rather rarely precede Finkelstein-Seidlmayer vasculitis [20, 22, 23]. This difference is likely related to the fact that *Streptococcus pyogenes* [24] and atypical bacterial pathogens [25] rarely affect subjects 4–5 years or less of age. Textbooks and reviews sometimes emphasize an unproven association between *Mycoplasma* and Finkelstein-Seidlmayer vasculitis. This misunderstanding likely reflects the fact that the clinical hallmarks of this vasculitis resemble erythema multiforme, a condition often caused by *Mycoplasma* [1–4]. Our data also demonstrate that, like with immunoglobulin A vasculitis, respiratory tract viruses including coronavirus disease 2019 [26] may be associated with Finkelstein-Seidlmayer vasculitis. Vaccination against severe acute respiratory syndrome coronavirus 2 has also been occasionally associated

Table 2 Microorganisms (N = 97) associated with the infectious precursor in 85 patients (65 males and 20 females; 10 [7–14] months of age) with Finkelstein-Seidlmayer vasculitis

	N
Bacteria	54^a
Streptococcus species	20
<i>Streptococcus pyogenes</i>	11
<i>Streptococcus pneumoniae</i>	5
<i>Streptococcus</i> not otherwise specified	3
<i>Streptococcus viridans</i>	1
<i>Escherichia coli</i>	12
<i>Mycoplasma pneumoniae</i>	6
Staphylococcus species	4
<i>Staphylococcus aureus</i>	2
<i>Staphylococcus</i> not otherwise specified	2
Campylobacter species	3
<i>Campylobacter jejuni</i>	2
<i>Campylobacter mucosalis</i>	1
<i>Proteus mirabilis</i>	3
<i>Mycobacterium tuberculosis</i>	2
Gram-positive bacterium, not otherwise specified	1
Gram-negative bacterium, not otherwise specified	1
<i>Haemophilus influenzae</i>	1
<i>Salmonella</i> not otherwise specified	1
Viruses	41^b
Herpesviridae	9
Human Herpes Virus 3 (Varicella Zoster Virus)	4
Human Herpes Virus 1 (Herpes simplex 1)	2
Human Herpes Virus 4 (Epstein-Barr Virus)	2
Human Herpes Virus 5 (Cytomegalovirus)	1
Adenovirus	5
Rhinovirus	4
Coronaviruses	4
Severe acute respiratory syndrome coronavirus 2	3
Coronavirus NL63	1
Picornaviruses	6
Coxsackievirus not otherwise specified	1
Coxsackievirus B4	1
Coxsackievirus B5	1
Enterovirus not otherwise specified	3
Parvovirus B19	3
Rotavirus	3
Bocavirus	1
Echovirus	1
Hepatitis A virus	1
Human metapneumovirus	1
Parainfluenza virus	1
Paramyxovirus	1
Fungi	2
<i>Candida albicans</i>	2

^ain 47 patients^bin 26 patients

Table 3 Characteristics of patients with post- or intra-infectious Finkelstein-Seidlmayer vasculitis. Data are given as median and interquartile range or as frequency

	Vasculitis		P-value
	Post-infectious	Intra-infectious	
N	283	53	
Males: females, N	191: 92	38: 15	0.528
Age, months	11 [8–17]	11 [7–14]	0.230
Latency, days	7 ^a [4–14]	2 ^b [1–3]	< 0.001
Precursor			
Upper respiratory infection, N (%)	222 (78%)	31 (58%)	< 0.005
Acute gastroenteritis, N (%)	30 (11%)	4 (7.5%)	0.625
Lower respiratory infection, N (%)	14 (4.9%)	5 (9.4%)	0.204
Urinary tract infection, N (%)	11 (3.9%)	2 (3.8%)	0.999
Benign febrile infection, N (%)	10 (3.5%)	3 (5.7%)	0.445
Further infections, N (%)	5 (1.8%)	9 (17%)	< 0.001

^aInformation available for 205 cases^binformation available for 23 cases

with immunoglobulin A vasculitis [27]. On the contrary, no cases of Finkelstein-Seidlmayer vasculitis have been so far associated with this vaccination, likely because it is currently not recommended in young children. Finally, it is worth of mention that a temporal association between an infection (or a vaccination) and Finkelstein-Seidlmayer vasculitis does not inexorably and in every case imply causality.

Immunoglobulin A vasculitis is obviously an immunoglobulin A dominant vasculitis [2, 4]. Since immunoglobulin A is an early response to a pathogen, the clinical features of this vasculitis mostly occur before resolution of the infectious precursor, i.e., intra-infectiously [2, 4]. Finkelstein-Seidlmayer vasculitis is a non-immunoglobulin A dominant immune-mediated vasculitis. Consequently, the features of this vasculitis mostly occur after resolution of the infection, i.e., post-infectiously.

Table 4 Immunizations (N = 103) potentially implicated in 42 cases of Finkelstein-Seidlmayer vasculitis (29 males and 13 females, 12 [7–18] months of age). The vast majority of the 42 cases were administered a combination vaccine

Vaccination	N
<i>Clostridium tetani</i>	18
<i>Corynebacterium diphtheriae</i>	18
<i>Bordetella pertussis</i>	17
<i>Haemophilus influenzae</i> B	10
Poliovirus	9
Measles virus	5
Rubella virus	5
Hepatitis B virus	4
<i>Streptococcus pneumoniae</i>	4
Further microbes*	3

*Each one case after hepatitis A virus, influenza H1N1 and mumps virus

The results of this systematic review must be viewed with an understanding of the inherent limitations of the analysis process, which integrated information from reports detailing on average one to two cases of Finkelstein-Seidlmayer vasculitis reported over a period of 50 years. For example, the diagnostic strategy was heterogeneous: it was often supported by a skin biopsy study in cases managed by dermatologists but was made clinically in those managed by pediatricians. The obvious strength of this analysis is that it includes the whole literature on this vasculitis over the period 1970–2021.

Conclusions

In Finkelstein-Seidlmayer vasculitis (like in immunoglobulin A vasculitis), it is typical that different infectious agents may trigger the same pathological damage. On the other hand, a specific microbe may produce more than one vasculitis syndrome. The mechanisms underlying the occurrence of an infection-associated immune-mediated vasculitis are still speculative. It is currently postulated that bystander activation, microbial persistence, or molecular mimicry [28] and genetic factors [29] concurrently play a crucial role.

Supplementary Information The online version contains supplementary material available at <https://doi.org/10.1007/s12016-022-08940-2>.

Author Contribution G.B., P.O.R., M.G.B., S.A.G.L., and G.P.M. developed the Acute Haemorrhagic Edema Bibliographic Database; G.B., M.G.B., and G.P.M. conceptualized the study design; G.B. and P.O.R. extracted the data; G.B., C.B., D.C. and S.A.G.L. analyzed the data; L.K., M.M.B., and B.T.B.P. contributed to data interpretation; G.B., M.G.B., G.P.M., and B.T.B.P. wrote the manuscript; L.K., M.M.B. and B.T.B.P. revised the manuscript; C.B. and D.C. reviewed the manuscript for important intellectual content; All authors read and commented on the final version of the manuscript.

Funding Open access funding provided by Università della Svizzera italiana. Dr. Lava is the current recipient of research grants from Fonds de perfectionnement, Centre Hospitalier Universitaire Vaudois, Lausanne, Switzerland; Fondation SICPA, Prilly, Switzerland; Fondazione Dr. Ettore Balli, Bellinzona, Switzerland; and Fondazione per il bambino malato della Svizzera italiana, Bellinzona, Switzerland. Dr. Betti is supported by an internal funding from Ente Ospedaliero Cantonale for junior researchers.

Declarations

Ethics Approval and Consent to Participate This was a systematic review study that in our institutions does not require specific ethics approval.

Conflict of interest The authors declare no competing interests.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Fiore E, Rizzi M, Ragazzi M, Vanoni F, Bernasconi M, Bianchetti MG, Simonetti GD (2008) Acute hemorrhagic edema of young children (cockade purpura and edema): a case series and systematic review. *J Am Acad Dermatol* 59(4):684–695. <https://doi.org/10.1016/j.jaad.2008.06.005>
- Ting TV (2014) Diagnosis and management of cutaneous vasculitis in children. *Pediatr Clin North Am* 61(2):321–346. <https://doi.org/10.1016/j.pcl.2013.11.007>
- Rinoldi PO, Bronz G, Ferrarini A, Mangas C, Bianchetti MG, Chelleri C, Lava SAG, Milani GP (2021) Acute hemorrhagic edema: uncommon features. *J Am Acad Dermatol* 85(6):1620–1621. <https://doi.org/10.1016/j.jaad.2020.12.033>
- Lava SAG, Milani GP, Fossali EF, Simonetti GD, Agostoni C, Bianchetti MG (2017) Cutaneous manifestations of small-vessel leukocytoclastic vasculitides in childhood. *Clin Rev Allergy Immunol* 53(3):439–451. <https://doi.org/10.1007/s12016-017-8626-3>
- Rinoldi PO, Milani GP, Bianchetti MG, Ferrarini A, Ramelli GP, Lava SAG (2019) Acute hemorrhagic edema of young children: open questions and perspectives. *Int J Dermatol Skin Care* 1:63–67. <https://doi.org/10.36811/ijds.2019.110003>
- Bronz G, Consolascio D, Bianchetti MG, Rinoldi PO, Betti C, Lava SAG, Milani GP (2022) Köbner and Pastia signs in acute hemorrhagic edema of young children: systematic literature review. *Children* 9(2):265. <https://doi.org/10.3390/children9020265>
- Snow IM (1913) Purpura, urticaria and angioneurotic edema of the hands and feet in a nursing baby. *JAMA* 61(1):18–19. <https://doi.org/10.1001/jama.1913.04350010020008>
- Boell SK, Ceez-Kecmanovic D (2015) On being ‘systematic’ in literature reviews in IS. *J Inf Technol* 30:161–173
- Frumholtz L, Laurent-Roussel S, Lipsker D, Terrier B (2021) Cutaneous vasculitis: review on diagnosis and clinicopathologic correlations. *Clin Rev Allergy Immunol* 61(2):181–193. <https://doi.org/10.1007/s12016-020-08788-4>
- Koch A, Sørensen P, Homøe P, Mølbak K, Pedersen FK, Mortensen T, Elberling H, Eriksen AM, Olsen OR, Melbye M (2002) Population-based study of acute respiratory infections in children. *Greenland Emerg Infect Dis* 8(6):586–593. <https://doi.org/10.3201/eid0806.010321>
- Whyte LA, Al-Araji RA, McLoughlin LM (2015) Guidelines for the management of acute gastroenteritis in children in Europe. *Arch Dis Child Educ Pract Ed* 100(6):308–312. <https://doi.org/10.1136/archdischild-2014-307253>
- Buettcher M, Trueck J, Niederer-Loher A, Heininger U, Agyeman P, Asner S, Berger C, Bielicki J, Kahlert C, Kottanattu L, Meyer Sauter PM, Paioni P, Posfay-Barbe K, Rely C, Ritz N, Zimmermann P, Zucol F, Gobet R, Shavit S, Rudin C, Laube G, von Vigier R, Neuhaus TJ (2021) Swiss consensus recommendations on urinary tract infections in children. *Eur J Pediatr* 180(3):663–674. <https://doi.org/10.1007/s00431-020-03714-4>
- Lie JT (1996) Vasculitis associated with infectious agents. *Curr Opin Rheumatol* 8(1):26–29. <https://doi.org/10.1097/00002281-199601000-00004>
- van Timmeren MM, Heeringa P, Kallenberg CG (2014) Infectious triggers for vasculitis. *Curr Opin Rheumatol* 26(4):416–423. <https://doi.org/10.1097/BOR.0000000000000068>
- Seyahi E (2017) Takayasu arteritis: an update. *Curr Opin Rheumatol* 29(1):51–56. <https://doi.org/10.1097/BOR.0000000000000343>
- Younger DS (2019) Giant cell arteritis. *Neurol Clin* 37(2):335–344. <https://doi.org/10.1016/j.ncl.2019.01.008>
- Forbess L, Bannykh S (2015) Polyarteritis nodosa. *Rheum Dis Clin North Am* 41(1):33–46. <https://doi.org/10.1016/j.rdc.2014.09.005>
- Banerjee P, Jain A, Kumar U, Senapati S (2021) Epidemiology and genetics of granulomatosis with polyangiitis. *Rheumatol Int* 41(12):2069–2089. <https://doi.org/10.1007/s00296-021-05011-1>
- Desbois AC, Cacoub P, Saadoun D (2019) Cryoglobulinemia: an update in 2019. *Joint Bone Spine* 86(6):707–713. <https://doi.org/10.1016/j.jbspin.2019.01.016>
- Rigante D, Castellazzi L, Bosco A, Esposito S (2013) Is there a crossroad between infections, genetics, and Henoch-Schönlein purpura? *Autoimmun Rev* 12(10):1016–1021. <https://doi.org/10.1016/j.autrev.2013.04.003>
- Jacobi M, Lancrei HM, Brosh-Nissimov T, Yeshayahu Y (2021) Purpurona: a novel report of COVID-19-related Henoch-Schönlein purpura in a child. *Pediatr Infect Dis J* 40(2):e93–e94. <https://doi.org/10.1097/INF.00000000000003001>
- Betti C, Camozzi P, Gennaro V, Bianchetti MG, Scoglio M, Simonetti GD, Milani GP, Lava SAG, Ferrarini A (2021) Atypical bacterial pathogens and small-vessel leukocytoclastic vasculitis of the skin in children: systematic literature review. *Pathogens* 10(1):31. <https://doi.org/10.3390/pathogens10010031>
- Wang JJ, Xu Y, Liu FF, Wu Y, Samadli S, Wu YF, Luo HH, Zhang DD, Hu P (2020) Association of the infectious triggers with childhood Henoch-Schönlein purpura in Anhui province. *Chin J Infect Public Health* 13(1):110–117. <https://doi.org/10.1016/j.jiph.2019.07.004>
- Dietrich ML, Steele RW (2018) Group A Streptococcus. *Pediatr Rev* 39(8):379–391. <https://doi.org/10.1542/pir.2017-0207>
- Atkinson TP, Waites KB (2014) Mycoplasma pneumoniae infections in childhood. *Pediatr Infect Dis J* 33(1):92–94. <https://doi.org/10.1097/INF.0000000000000171>
- El Hasbani G, Taher AT, Jawad ASM, Uthman I (2021) Henoch-Schönlein purpura: another COVID-19 complication. *Pediatr Dermatol* 38(5):1359–1360. <https://doi.org/10.1111/pde.14699>
- Hines AM, Murphy N, Mullin C, Barillas J, Barrientos JC (2021) Henoch-Schönlein purpura presenting post COVID-19 vaccination. *Vaccine* 39(33):4571–4572. <https://doi.org/10.1016/j.vaccine.2021.06.079>

28. Fujinami RS, von Herrath MG, Christen U, Whitton JL (2006) Molecular mimicry, bystander activation, or viral persistence: infections and autoimmune disease. *Clin Microbiol Rev* 19(1):80–94. <https://doi.org/10.1128/CMR.19.1.80-94.2006>
29. Salama AD (2018) Genetics and pathogenesis of small-vessel vasculitis. *Best Pract Res Clin Rheumatol* 32(1):21–30. <https://doi.org/10.1016/j.berh.2018.10.002>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Supplementary material

Acute hemorrhagic edema of young children - references 1970-2021

1. Laugier P, Hunziker N, Reiffers J, Rudaz M. L'œdème aigu hémorragique du nourrisson (purpura en cocarde avec oedème). *Dermatology* 1970;141(2):113-118.
2. Garofalo E. Porpora anafilattoide a coccarda di Seidlmayer. *Minerva Pediatr* 1972;24(20):817-827.
3. Verdura G, Lupi G. Porpora vascolare (anafilattoide) acuta in lattante di sei mesi. Confini nosologici della sindrome. *Minerva Pediatr* 1972;24(13):519-525.
4. Maleville J, Alt J, Grosshans E, Heid EM, Storb M. Oedème aigu hémorragique de la peau du nourrisson: vascularite allergique dermique. À propos d'un nouveau cas. *Bull Soc Fr Dermatol Syphiligr* 1973;80:432-435.
5. Snoussi N, Strobil M, Heid F, Grosshans E, Malleville J. Oedème aigu hémorragique du nourrisson: démonstration d'une vascularite allergique dermique. *Arch Belg Dermatol* 1973;29(3):259-260.
6. Carton FX, Piussan C, Denoeux JP. Oedème aigu hémorragique de la peau du nourrisson. *Bull Soc Fr Dermatol Syphiligr* 1974;81:233-234.
7. Larrègue M, Lesage B, Rossier A. Edema agudo hemorragico del lactante (EAHL) (purpura en escarapela con edema postinfeccioso de Seidlmayer) y vascularitis alergica. *Med Cutan* 1974;11(3):165-174.
8. Lesage B, Larrègue M, Bouillet F, Rossier A. Oedème aigu hémorragique du nourrisson (purpura en cocarde avec oedème post-infectieux de Seidlmayer) et vascularité allergique. *Ann Pédiatr (Paris)* 1975;22(8-9):599-606.
9. Castel Y, Massé R, Le Fur JM, Alix D, Herry B, Olivre MA. L'œdème aigu hémorragique de la peau du nourrisson: étude clinique et nosologique. *Ann Pédiatr (Paris)* 1976;23(10):653-666.
10. Levi L, Bellini S, Galbiati G, Fontana M. L'edema acuto emorragico della pelle del lattante. *Chron Dermatol* 1976;7(5):619-621.
11. Despert F, Fauchier C, Laugier J. L'œdème aigu hémorragique du nourrisson : à propos d'une observation. *Rev Med Tours* 1977;11(5):729-732.
12. Pierini DO, García Diaz R, Pierini AM. Edema agudo hemorrágico del lactante. Púrpura en escarapela. *Arch Argent Dermatol* 1977;27(1):19-31.
13. Ruhrmann G. Kokardenpurpura und Häorrhagische Variante des Erythema exsudativum multiforme als Folge einer Mykoplasma-pneumoniae-Infektion? *Pädiatr Prax* 1977;19:37-40.

14. Lambert D, Laurent R, Bouilly D, Saint-Mont C, Estavoyer JM, Agache P, Chapuis JL. Oedème aigu hémorragique du nourrisson. Données immunologiques et ultrastructurales. *Ann Dermatol Venereol* 1979;106(12):975-987.
15. Cottoni F, Cambosu GA. Edema emorragico acuto del lattante. Osservazioni su due casi. *Ann Ital Dermatol Clin Sper* 1980; 34:169-175.
16. Larrègue M, Lorette G, Prigent F, Canuel C. Oedème aigu hémorragique du nourrisson avec complication léthale digestive. *Ann Dermatol Venereol* 1980;107(10):901-905.
17. Bianchi G, Giannattasio G, Lietti D, Palma D, Peverelli GP, Zanini R. L'edema acuto emorragico del lattante - Descrizione di un caso clinico. *Minerva Pediatr* 1981;33(2):87-90.
18. Saggese M. L'edema emorragico acuto del lattante. *Pediatria (Napoli)* 1981;89(4):775-785.
19. Waskerwitz S, Christoffel KK, Hauger S. Hypersensitivity vasculitis presenting as suspected child abuse: Case report and literature review. *Pediatrics* 1981;67(2):283-284.
20. Conte GF, Colombo P, Ronconi C, Cattaneo AM. Porpora di Seidlmayer: contributo clinico. *Clin Pediatr (Bologna)* 1982;64:43-48.
21. Sánchez-del-Río J, Marín MC, Martínez DN. Edema agudo hemorragico del lactante. *Actas Dermosifiliogr* 1982;73(3-4):129-132.
22. Berger C. Oedème aigu hémorragique de la peau du nourrisson: étude gènèrale à propos d'une observation. *Lyon Méd* 1984;252:35-38.
23. Schiuma AA, Gelmetti C, Cerri D, Gianotti F. Purpura de Finkelstein (edema agudo hemorrágico del lactante). *Arch Argent Dermatol* 1984;34(5):241-249.
24. Jeannoel P, Fabre M, Payen C, Bost M. Oedème aigu hémorragique du nourrisson: rôle de l'adénovirus? Á propos d'une observation. *Pédiatrie* 1985;40(7):557-560.
25. Jiménez D, Armijo R, Burkhardt P, Naranjo R. Edema agudo hemorrágico del lactante. *Actas Dermosifiliogr* 1985;76(11-12):529-531.
26. Morelli P, Della Morte MA, Silva A, Valli F. La porpora "a coccarda" di Seidlmayer - Presentazione di un caso. *Pediatr Med Chir* 1985;7(2):325-329.
27. Brown J, Melinkovich P. Schönlein-Henoch purpura misdiagnosed as suspected child abuse. A case report and literature review. *JAMA* 1986;256(5):617-618.
28. Le Berre A, Plantin P, Metz C, Guillet G. Oedème aigu hémorragique du nourrisson: à propos d'un cas - Discussion de l'intérêt du dosage du facteur XIII de la coagulation. *Nouv Dermatol* 1987;6(3):273-276.

29. Neri I, Patrizi A, Costa AM, Pizzino D, Chiodo D. Quattro casi di edema emorragico acuto del lattante. *Pediatr Dermatol News* 1987;7:107-110.
30. Stögmann W, Blümel P. Kokardenpurpura: a special type of hypersensitivity vasculitis. *Pediatr Dermatol News* 1987;6:101-103.
31. Dubin BA, Bronson DM, Eng AM. Acute hemorrhagic edema of childhood: an unusual variant of leukocytoclastic vasculitis. *J Am Acad Dermatol* 1990;23(2 Pt 2):347-350. doi: 10.1016/0190-9622(90)70219-8.
32. Hirschel-Scholz S, Hunziker N. Acute hemorrhagic edema of the infant (Finkelstein's disease). *Pediatr Dermatol* 1990;7(4):323. doi: 10.1111/j.1525-1470.1990.tb01038.x.
33. Orozco Covarrubias ML, Laterza Gambuti AM, Tamayo Sánchez L, Ruiz-Maldonado R. Edema agudo hemorrágico del lactante (púrpura en escarapela). *Med Cutan Ibero Lat Am* 1990;18:392-396.
34. Saraçlar Y, Tinaztepe K, Adalioğlu G, Tuncer A. Acute hemorrhagic edema of infancy (AHEI) - a variant of Henoch-Schönlein purpura or a distinct clinical entity? *J Allergy Clin Immunol* 1990;86(4 Pt 1):473-483. doi: 10.1016/s0091-6749(05)80202-7.
35. Amoric JC, Stalder JF, Litoux P. Quel est votre diagnostic? Oedème aigu hémorragique du nourrisson. *Ann Dermatol Veneréol* 1991;118(6-7):481-482.
36. Gorgojo López M, Vélez Garcia-Neto A, López-Barrantes V, González Mediano I, Zambrano Zambrano A. Edema agudo hemorrágico del lactante. *Actas Dermosifiliogr* 1991;82(10):648-652.
37. Legrain V, Lejean S, Taïeb A, Guillard JM, Battin J, Maleville J. Infantile acute hemorrhagic edema of the skin: study of ten cases. *J Am Acad Dermatol* 1991;24(1):17-22. doi: 10.1016/0190-9622(91)70002-j.
38. Brunner M, Stieh J. Infantiles akutes hämorrhagisches Ödem. *Z Hautkr* 1992; 67(5):458-459.
39. Cox NH. Seidlmayer's syndrome: postinfectious cockade purpura of early childhood. *J Am Acad Dermatol* 1992;26(2 Pt1):275. doi: 10.1016/s0190-9622(08)80314-3.
40. Sipahi T, Yöney A, Tuna F, Karademir S. Acute hemorrhagic edema of infancy. *Anatol J Pediatr* 1992;2:74-76.
41. Vandeghinste N, Naeyaert JM, Geerts ML, Kint A. Das akute hämorrhagische Ödem beim Säugling. *Hautarzt* 1992;43(12):786-788.
42. Amitai Y, Gillis D, Wasserman D, Kochman RH. Henoch-Schönlein purpura in infants. *Pediatrics* 1993;92(6):865-867.
43. Crespi HG, Ibarra PM, Porta JA. Edema agudo hemorrágico del lactante (Púrpura de Finkelstein). *Rev Argent Dermatol* 1993;74:54-58.

44. Echeverría Arellano A, Vives Nadal R, Romero Ibarra C, Guarch Troyas R, Durán Urdaniz G. Edema agudo hemorrágico del lactante. *An Esp Pediatr* 1993;39(5):448-450.
45. Yeste Fernandez D, Gonzalez Castro U, Gonzalez Morla J, de Mir Messa I, Martin Gonzalez M, Castello Girona F. Edema agudo hemorrágico del lactante. *An Esp Pediatr* 1993;38(1):79-81.
46. Alcalde Alonso M, Juárez Morales E, Daza Torres A, López Muñoz J, Olivar Buera M. Edema agudo hemorrágico del lactante. *Actas Dermosifiliogr* 1994;85(3):154-156.
47. García Calatayud S, Lozano de la Torre JM, de las Cuevas Terán I, Mirones Martínez Y, Fernández Llaca H. Edema agudo hemorrágico del lactante. Aportación de dos nuevos casos. *Bol Pediatr* 1994;35:339-343.
48. Garcia-Patos V, Pujol RM, Qureol J, Solis MJ, Oliva E, De Moragas JM. Edema agudo hemorrágico del lactante. *Med Cutan Iber Lat Am* 1994;22(3):151-154.
49. Kainz JT, Smolle J. Frühinfantile, postinfektiöse Kokarden-Purpura Seidlmayer (Akutes hämorrhagisches Ödem beim Säugling). *Z Hautkrankh* 1994;69(8):547-548.
50. Al-Sheyyab M, El-Shanti H, Ajlouni S, Sawalha D, Daoud A. The clinical spectrum of Henoch-Schönlein purpura in infants and young children. *Eur J Pediatr* 1995; 154(12): 969-972. doi:10.1007/BF01958639.
51. Barbaud A, Gillet-Terver MN, Schmutz JL, Weber M. Cas pour diagnostic: oedème aigu hémorragique du nourrisson. *Ann Dermatol Venereol* 1995;122:717-719.
52. Çaliskan S, Tasdan Y, Kasapçopur Ö, Sever L, Tunnessen WW. Picture of the month: acute hemorrhagic edema of infancy. *Arch Pediatr Adolesc Med* 1995;149(11):1267-1268. doi: 10.1001/archpedi.1995.02170240085014.
53. Ince E, Mumcu Y, Suskan E, Yalcinkaya F, Tümer N, Cin S. Infantile acute hemorrhagic edema: a variant of leukocytoclastic vasculitis. *Pediatr Dermatol* 1995;12(3):224-227. doi: 10.1111/j.1525-1470.1995.tb00163.x.
54. Lazarov A, Attias O, Avinoach I, Halevy S. Infantile acute haemorrhagic edema following vaccine application. *J Eur Acad Dermatol Venereol* 1995;5(2):203-204.
55. Pride HB, Maroon M, Tyler WB. Ecchymoses and edema in a 4-month-old boy. *Pediatr Dermatol* 1995;12(4):373-375. doi: 10.1111/j.1525-1470.1995.tb00206.x
56. Criado PR, Sakai Valente NY, Jardim Criado RF, Sittart JAS, Sawaya S. Edema agudo hemorrágico do lactente. *An Bras Dermatol* 1996;71(5):403-406.
57. Cunningham BB, Caro WA, Eramo LR. Neonatal acute hemorrhagic edema of childhood: case report and review of the English-language literature.

Pediatr Dermatol 1996;13(1):39-44. doi: 10.1111/j.1525-1470.1996.tb01186.x.

58. Krause I, Lazarov A, Rachmel A, Grunwald MM, Metzker A, Garty BZ, Halevy S, Nitzan M. Acute haemorrhagic oedema of infancy, a benign variant of leucocytoclastic vasculitis. *Acta Paediatr* 1996;85(1):114-117. doi: 10.1111/j.1651-2227.1996.tb13904.x.
59. Lantner RR, Simon PR. Acute hemorrhagic edema of infancy. *Pediatr Emerg Care* 1996;12(2):111-112. doi: 10.1097/00006565-199604000-00012.
60. Máximo JA, Giglio N, Cotton A, Goldfarb G. Cual es su diagnostico? Edema agudo hemorragico del lactante. *Rev Hosp Ninos* 1996;38(4):287-288.
61. Tomaç N, Saraçlar Y, Türktas I, Kalayci Ö. Acute haemorrhagic oedema of infancy: a case report. *Clin Exp Dermatol* 1996;21(3):217-219. doi:10.1111/j.1365-2230.1996.tb00067.x.
62. Colantonio G, Kinzlansky V, Kahn A, Damilano G. Pathological case of the month: infantile acute hemorrhagic edema. *Arch Pediatr Adolesc Med* 1997;151(5):523-524. doi: 10.1001/archpedi.1997.02170420093018
63. Gattorno M, Picco P, Gambini C, Buoncompagni A, Castagnola E, Pistoia V, Borrone C. Erythema multiforme-like manifestations and arthritis in a 3-year-old child with leukocytoclastic vasculitis. *Clin Exp Rheumatol* 1997;15(3):329-332.
64. Scaramuzza A, Pezzarossa E, Zambelloni C, Lupi A, Lazzari GB, Rossoni R. Case of the month: a girl with oedema and purpuric eruption. Diagnosis: acute haemorrhagic oedema of infancy. *Eur J Pediatr* 1997;156(10):813-815. doi: 10.1007/s004310050720.
65. Aydın K, Kendirci M, Utaş S, Üstünbaş HB, Kısaarslan AF. Acute hemorrhagic edema of infancy: A case report with mucosal and truncal involvement. *Türkiye Klinikleri J Pediatr* 1998;7:93-95.
66. Cabrera Roca G, Domínguez Ortega F, Perdomo Mesa E, Medina Calvo F, Báez Marrero O. Edema agudo hemorrágico del lactante: presentación de 5 casos. *An Esp Pediatr* 1998;48(1):73-75.
67. Castro Piñeiro I, Hernández Santana J, Soler Cruz E, Rodríguez López J, Hernández Hernández B. Edema agudo hemorrágico del lactante. *Actas Dermosifiliogr* 1998;89:189-93.
68. Cocchi P, Battini ML, Di Maria M, Calabri GB, Masoni F, Piccinini P, Salvatore A, Franchini F. Edema emorragico infantile acuto. Descrizione di un nuovo caso clinico. *Pediatr Med Chir* 1998;20(3):227-229.
69. Crowe MA, Jonas PP. Acute hemorrhagic edema of infancy. *Cutis* 1998;62(2):65-66.
70. Gonggryp LA, Todd G. Acute hemorrhagic edema of childhood (AHE). *Pediatr Dermatol* 1998;15(2):91-96. doi: 10.1046/j.1525-1470.1998.1998015091.x.

71. İnalhan M, Sümer B, Sarper N, Şener B, Yılmaz S, İnan S. A case infantile acute hemorrhagic edema. *Zeynep Kamil Tıp Bülteni* 1998;30(3-4):179-183.
72. Long D, Helm KF. Acute hemorrhagic edema of infancy: Finkelstein's disease. *Cutis* 1998;61:283-284.
73. Ricci G, Patrizi A, Specchia F, Neri I, Masi M. Infantile acute haemorrhagic oedema in a child with von Willebrand's disease. *Acta Derm Venereol* 1998;78(1):78-79. doi: 10.1080/00015559850135986.
74. Stringa S, Perissé B, Stringa O, Civitillo C. Edema agudo hemorrágico del lactante: estudio de dos casos. *Dermatol Argent* 1998;4(3):273-277.
75. Yang CH, Shih IH, Yang LJ, Chan HL, Kuo TT. Acute hemorrhagic edema of infancy. *Dermatol Sinica* 1998;16:236-241.
76. Gattorno M, Picco P, Vignola S, Di Rocco M, Buoncompagni A. Brother and sister with different vasculitides. *Lancet* 1999;353(9154):728. doi: 10.1016/s0140-6736(98)05109-5.
77. Millard T, Harris A, MacDonald D. Acute infantile hemorrhagic oedema. *J Am Acad Dermatol* 1999;41(5 Pt 2):837-839. doi: 10.1016/s0190-9622(99)70338-5.
78. Morrison RR, Saulsbury FT. Acute hemorrhagic edema of infancy associated with pneumococcal bacteremia. *Pediatr Infect Dis J* 1999;18:832-833.
79. Uribe-Jiménez E, Guevara-Gutiérrez E, González-Esqueda P, Loza-Vega M, Tlacuilo-Parra A, Gómez-Guerrero R. Edema hemorrágico agudo de la infancia: informe de un caso y revisión de la literatura. *Actas Dermosifiliogr* 1999;90:575-578.
80. Alonso Falcón F, García Consuegra J. Gastroenteritis por *Campylobacter jejuni* y edema agudo hemorrágico del lactante. *Pediátrika* 2000;20(7):254-256.
81. Carbajal RL, Zarco RJ, Rodríguez HR, Reynes MJN, Barrios Fuentes R, Luna FM, Villegas VE. Edema hemorrágico agudo y púrpura de Henoch-Schönlein ¿Son una misma enfermedad en los lactantes? *Rev Mex Pediatr* 2000;67(6):266-269.
82. Pezzarossa E, Lazzari GB. Edema emorragico acuto infantile (malattia di Finkelstein) e presentazione di due casi clinici. *G Ital Dermatol Venereol* 2000;135(5):593-596.
83. Shetty AK, Desselle BC, Ey JL, Correa H, Galen WK, Gedalia A. Infantile Henoch-Schönlein purpura. *Arch Fam Med* 2000;9:553-556.
84. Dönmez O, Memesa A. Akut ýnfantýl hemorajýk ödem: üç olgunun takdýmý. *ADÜ Týp Fakóltesi Dergisi* 2001;2(3):31-33.
85. Fujimura T, Funayama M, Tagami H. Acute hemorrhagic edema in a four-year-old Japanese boy. *J Dermatol* 2001;28:279-281.

86. Govoni MR, Strumia R, De Rosa E, Malagutti L, De Sanctis V. Edema emorragico acuto dell'infanzia. Presentazione di un caso clinico. *Ital J Pediatr* 2001;27:811-813.
87. Guerrero Fernández J, Guiote Domínguez MV, Guerrero Vázquez J, García Sicilia J, Rodríguez Delgado J. Edema hemorrágico agudo del lactante. A propósito de tres casos. *Ciencia Pediátrica* 2001;21(1):26-30.
88. Jacobzone C, Plantin-Eon I, Vic P, Broussine L, Plantin P. Plaidoyer pour renommer l'oedème aigu hémorragique du nourrisson. *Arch Pédiatr* 2001;8(7):770-771. doi: 10.1016/s0929-693x(00)90314-2.
89. Jayanti S, Srinivas M, Marwaha RK, Trehan A. Leucocytoclastic vasculitis in infant. *Indian J Pediatr* 2001;68(5):457-458. doi: 10.1007/BF02723028.
90. Offidani A, Cellini A, Bossi G. Guess what! Acute haemorrhagic oedema of the skin in infancy. *Eur J Dermatol* 2001;11:63-64.
91. Paradisi M, Annessi G, Corrado A. Infantile acute hemorrhagic edema of the skin. *Cutis* 2001;68:127-129.
92. Slee DSJ, Lagro SWY, Frenkel J. Acuut hemorragisch oedeem bij kinderen: uitstekende prognose. *Ned Tijdschr Geneesk* 2001;145(17):830-834.
93. Vermeer MH, Stoof TJ, Kozel MMA, Blom DJM, Nieboert C, Sillevius Smitt JH. Acuut hemorragisch oedeem van de kinderleeftijd en het onderscheid met Henoch-Schönlein-purpura. *Ned Tijdschr Geneesk* 2001;145(17):834-839.
94. Ballona R. Pápulas purpúricas en recién nacido. *Dermatol Peru* 2002;12:231-233.
95. Bozaykut A, Atay E, Atay Z, Ipek Ö, Akin M, Dursun E. Acute infantile haemorrhagic oedema associated with hepatitis A. *Ann Trop Paediatr* 2002;22(1):59-61. doi: 10.1179/027249302125000175.
96. Braun-Falco M, Abeck D. Acute infantile haemorrhagic oedema. *Lancet* 2002;360:210. doi: 10.1016/S0140-6736(02)09457-6.
97. Çaksen H, Odabas D, Kösem M, Arslan S, Öner AF, Atas B, Akçay G, Ceylan N. Report of eight infants with acute infantile hemorrhagic edema and review of the literature. *J Dermatol* 2002;29(5):290-295.
98. Escobosa Sánchez OM, Chica Fuentes YM, Ranchal Pérez P, Jiménez Hinojosa JM, Blasco Alonso J, Madrid Madrid A, Durán Hidalgo I, Jurado Ortiz A. Edema agudo hemorrágico de la infancia (enfermedad de Finkelstein). *An Esp Pediatr* 2002;56(Suppl 5):110.
99. Garty BZ, Ofer I, Finkelstein Y. Acute hemorrhagic edema of infancy. *Isr Med Assoc J* 2002;4:228-229.
100. Gauger A, Braun-Falco M, Stachowitz S, Ring J, Abeck D. Akut aufgetretene ödematöse Ekchymosen beim Kleinkind. *Hautarzt* 2002;53:559-560. doi: 10.1007/s00105-002-0399-8.

101. Kuroda K, Yabunami H, Hisanaga Y. Acute haemorrhagic oedema of infancy associated with cytomegalovirus infection. *Br J Dermatol* 2002;147(6):1254-1257. doi: 10.1046/j.1365-2133.2002.05038.x. PMID: 12452880.
102. Miorin E, Meneghini A, Don B, Romanello C, Tenore A. Edema emorragico acuto del lattante, descrizione di un caso clinico e revisione della letteratura. *Medico e Bambino pagine elettroniche* 2002;5(3) https://www.medicoebambino.com/?id=CL0203_10.html Last access January 2020.
103. Montesinos Sanchís E, Rodríguez Varela A, Pons Fernández N, Pérez Monjardín E, Rodríguez B, Mercader P, Ardit J, Álvarez V. Edema agudo hemorrágico del lactante. *An Esp Pediatr* 2002;56(Suppl 5):158.
104. Saray Y, Seçkin D, Sarifakioglu E, Güleç AT, Demirhan B. Acute infantile haemorrhagic oedema: measles vaccination as possible triggering factor. *Acta Derm Venereol* 2002;82(6-7):471-472.
105. Shah D, Goraya JS, Poddar B, Parmar VR. Acute infantile hemorrhagic edema and Henoch-Schönlein purpura overlap in a child. *Pediatr Dermatol* 2002;19(1):92-93. doi: 10.1046/j.1525-1470.2002.0024d.x.
106. Barkai G, Sinai L. Index of suspicion. *Pediatr Rev* 2003;24(10):349-354.
107. Guerra Tapia A, González E, Rodríguez Peralto JL. Diagnósticos clínicos. Púrpura en escarapela en un lactante. *Actualidad dermatológica: revista científica de dermatología médico-quirúrgica*, 2003;42(7):617-619.
108. Kaur S, Thami GP. Urticarial vasculitis in infancy. *Indian J Dermatol Venereol Leprol* 2003;69:223-224.
109. La Placa G, Pradella C, Andreotti M, Befana R. Edema emorragico acuto dell'infanzia. Descrizione di un caso clinico. *Pediatr Med Chir* 2003;25(1):60-62.
110. Lakshmi C, Srinivas CR. Urticarial vasculitis of infancy (acute hemorrhagic edema). *Indian J Dermatol Venereol Leprol* 2003;69(6):427.
111. Macèa JM, Santi CG, Sotto MN, Caputo R. Multiple erythematous plaques on a child. Acute hemorrhagic edema of infancy. *Arch Dermatol* 2003;139:531-536.
112. Poyrazoglu HM, Per H, Guündüz Z, Düsünsel R, Arslan D, Narin N, Gümüş H. Acute hemorrhagic edema of infancy. *Pediatr Int* 2003;45:697-700.
113. Smoje G, Cuevas M, Núñez L, Bolte C, Martínez W, Henríquez A. Edema hemorrágico agudo de la infancia: presentación de un caso clínico. *Rev Chil Pediatr* 2003;74:625-26.
114. Britto Goulart F, de Sá Torres Lage K, Quinterno MV, Madureira de Pádua P. Edema agudo hemorrágico da infância. *Rev Bras Reumatol* 2004;44(3):251-254.

115. da Silva Manzoni APD, Viécili JB, de Andrade CB, Kruse RL, Bakos L, Cestari TF. Acute hemorrhagic edema of infancy: a case report. *Int J Dermatol* 2004;43:48-51.
116. Di Lernia V, Lombardi M, Lo Scocco G. Infantile acute hemorrhagic edema and rotavirus infection. *Pediatr Dermatol* 2004;21(5):548-550.
117. Goldaracena P, Pérez F. Edema agudo hemorrágico del lactante. *Arch Argent Pediatr* 2004;102(1):72-73.
118. Miner I, Muñoz JA, Landa J, Albisu Y. Edema agudo hemorrágico del lactante. *An Pediatr (Barc)* 2004;61(1):79-81.
119. Rodrigues F, Coelho S. Edema agudo hemorrágico do lactente. *Acta Pediátr Port.* 2004;35(2):149-151.
120. Roh MR, Chung HJ, Lee JH. A case of acute hemorrhagic edema of infancy. *Yonsei Med J* 2004;45(3):523-526.
121. Wong CT, Harrington JW. Infantile Henoch-Schönlein purpura. *Emerg Med Australas* 2004;16:225-228. doi: 10.1111/j.1742-6723.2004.00591.x.
122. Acar B, Özcakar ZB, Yüksel S, Pekacar T, Ekim M, Yalcinkaya F. A 12-month-old boy with high fever, erythematous lesions and haemorrhagic oedema. *Eur J Pediatr* 2005;164:453-454. doi: 10.1007/s00431-005-1641-z.
123. Bozaykut A, Pulat-Seren L, Özahi-İpek İ, Vardar-Tuncel G. Acute infantile hemorrhagic edema: report of three cases. *Çocuk Sağlığı ve Hastalıkları Dergisi.* 2005; 48(2):147-150.
124. Emerich P, Neves A, Machado I, Fagundes S, Almeida P. Edema agudo hemorrágico de la infancia. *Dermatol Pediatr Lat* 2005;3(3):234-238.
125. García Lorenzo R, Alca'zar Lozano C, Fernández Alonso JE, Urueña Leal C, Cancho Candela R, Miranda Fontes M. Edema agudo hemorrágico del lactante. *Bol Pediatr* 2005;45(192):136-137.
126. Martín Hernández JM, Jordá Cuevas E, Monteagudo de Castro C, Alonso Usero V, Pereda Carrasco C, Ramón Quilez D. Edema agudo hemorrágico del lactante. *Piel* 2005;20(4):167-171.
127. McDougall CM, Ismail SK, Ormerod A. Acute haemorrhagic oedema of infancy. *Arch Dis Child* 2005;90:316. doi: 10.1136/ad.2004.060632.
128. Acun C, Ustundag G, Sogut A, Koca R, Numanoglu G. Visual diagnosis: a child who has acute onset of unusual skin lesions and edema. *Pediatr Rev* 2006;27(11):e71-e74.
129. Aranibar D, Giacaman S, Villagrán V, Saavedra U. Edema hemorrágico agudo del lactante: reporte de dos casos. *Rev Chil Dermatol* 2006;22(4):262-266.
130. Can B, Kavala M, Türkoglu Z, Zemheri E. Acute hemorrhagic edema of infancy: a case report. *Turk J Pediatr* 2006;48:266-268.

131. Garty BZ, Pollak U, Scheuerman O, Marcus N, Hoffer V. Acute hemorrhagic edema of infancy associated with herpes simplex type 1 stomatitis. *Pediatr Dermatol* 2006;23(4):361-364.
132. Gaslini G. Un lattante con edema al volto e una strana porpora. *Riviste Digitali: Il Pediatra* 2006;5:36-37.
133. Gomes Silveira JC, Lobato Quattrino A, Bragança R, Rochael MC. Edema hemorrágico agudo de infância. *An Bras Dermatol* 2006;81(Suppl 3):S285-S287.
134. Lee HM, Kang EY, Kim HU, Hwang PH. Acute hemorrhagic edema in an infant mimicking Henoch-Schönlein purpura: a case study. *Korean J Pediatr* 2006;49(12):1354-1357.
135. Lilian Pérez C, Alicia Benavides M, Bárbara Barrientos F, Cristian Deza E, Cristóbal Guixe A, Gonzalo Mendoza L. Edema hemorrágico agudo del lactante. *Rev Chil Pediatr* 2006;77(6):599-603.
136. Liu AJW, Hogan P, Nanan R. Acute haemorrhagic oedema of infancy. *Arch Dis Child* 2006;91:382. doi: 10.1136/adc.2005.093286.
137. Mata Fernández C. Edema hemorrágico agudo del lactante: una entidad poco conocida. *Rev Pediatr Aten Primaria* 2006; 8(31):435-438.
138. Michael DJ. Acute hemorrhagic edema of infancy. *Dermatol Online J* 2006;12(5):10.
139. Pereira T, Nunes S, Vieira AP, Sá A, Sousa Basto A. Edema hemorrágico agudo infantil. *Trab Soc Port Dermatol Venereol* 2006;64(2):243-250.
140. Pérez Fernández F, García Aldána D, Torres Borrego J, Luque Moreno M. Edema agudo hemorrágico infantil. Experiencia con cinco casos. *Acta Pediatr Esp* 2006;64(8):399-401.
141. Zamberk Majlis P, Velázquez Tarjuelo D, Campos Domínguez M, Leis Dosi VM, Hernanz Hermosa JM. Edema hemorrágico del lactante. *Acta Pediatr Esp* 2006;64(11):551-553.
142. Blasini W, Saini R, Vincek V. Acute hemorrhagic edema of infancy: a case report. *Dermatol Online J* 2007;13(3):37.
143. Chatproedprai S, Wananukul S. Acute hemorrhagic edema of infancy. *J Med Assoc Thai* 2007;90(6):1205-1207.
144. Domínguez LM, Aldama O, Rivelli V, Gorostiaga G, Mendoza G, Aldama A. Edema agudo hemorrágico del lactante. Reporte de un caso. *Dermatol Pediatr Lat* 2007;5(2):121-124.
145. Ensslen M, Messer G, Liese J. Purpura und bilaterale Ohrschwellung. *Monatsschr Kinderheilkd* 2007;155:686. doi: 10.1007/s00112-007-1542-5.
146. Epçaçan SOM, Tuncer O, Doğan M, Çaksen H. Acute infantile hemorrhagic edema in differential diagnosis of purpura. *Van Med J* 2007;14(1):31-34.

147. Kulcu NU, Degirmenci S, Arman D, Guven F, & Say A. Case Report: Acute Hemorrhagic Edema of Infancy. *Journal of pediatric infection* 2007;1(1):33-35.
148. Kurugol Z, Ozdemir R, Turkoglu E. Infantile Henoch-Schönlein purpura. *Pediatr Int* 2007;49:680-682. doi: 10.1111/j.1442-200X.2007.02440.x.
149. Lai-Cheong JE, Banerjee P, Hill V, Kenny P, Ross J. Bullous acute haemorrhagic oedema of skin in infancy. *Clin Exp Dermatol* 2007;32:467-468. doi: 10.1111/j.1365-2230.2007.02355.x.
150. Paredes N, Rubio R, Silva S. Edema hemorrágico agudo del lactante: a propósito de un caso. *Dermatol Pediatr Lat* 2007; 5(3):182-185.
151. Pelajo C, de Oliveira S. Edema hemorrágico agudo da infância e uma variante da púrpura de Henoch-Schönlein? *Rev Bras Reumatol* 2007;47(1):69-71.
152. Suehiro RM, Soares BS, Eisencraft AP, Campos LM, Silva CA. Acute hemorrhagic edema of childhood. *Turk J Pediatr* 2007; 49:189-192.
153. Watanabe T, Sato Y. Renal involvement and hypocomplementemia in a patient with acute hemorrhagic edema of infancy. *Pediatr Nephrol* 2007;22(11):1979-1981. doi: 10.1007/s00467-007-0599-7.
154. Yilmazo Ş, Dagdemir A, Gökçe IK, Süllü Y, Kiliniç AA. Aktif infantil Hemorajik Ödem: Olgu Sunumu. *M.Ü. Tip Dergisi* 2007;24(4):137-140.
155. Yu JE, Mancini AJ, Miller ML. Intussusception in an infant with acute hemorrhagic edema of infancy. *Pediatr Dermatol* 2007;24(1):61-64. doi: 10.1111/j.1525-1470.2007.00336.x.
156. Babić S, Murat-Sušić S, Husar K, Skerlev M, Radoš J. Acute hemorrhagic edema of infancy: case report. *Acta Dermatovenereol Croat* 2008;16(2):87-90.
157. Çakçak DS, Çakçak B, Akman A, Güney SV, Başsorgun Cİ, Çiftçioğlu MA. Purpuranın ayırıcı tanısında yer alan akut infantil hemorajik ödem olgusu. *Türk Dermatoloji Dergisi* 2008;2:84-86.
158. Cicero M. Rash decisions: acute hemorrhagic edema of infancy in a 7-month-old boy. *Pediatr Emerg Care* 2008;24(7):501-502.
159. Fiore E, Rizzi M, Ragazzi M, Vanoni F, Bernasconi M, Bianchetti MG, Simonetti GD. Acute hemorrhagic edema of young children (cockade purpura and edema): a case series and systematic review. *J Am Acad Dermatol* 2008;59(4):684-695. doi: 10.1016/j.jaad.2008.06.005.
160. Jain G, Patel A. Acute hemorrhagic edema of infancy. *Indian Pediatr* 2008;45(10):866-867.
161. Javidi Z, Maleki M, Mashayekhi V, Tayebi-Maybodi N, Nahidi Y. Acute hemorrhagic edema of infancy. *Arch Iran Med* 2008;11(1):103-106.

162. Kumar R, Mittal K, Rawal M, Kumar S. Acute hemorrhagic edema of infancy. *Indian Pediatr* 2008;45(12):1002-1003.
163. Obeid M, Haley J, Crews J, Parhizgar R, Johnson L, Camp T. Acute hemorrhagic edema of infancy with abdominal pain and elevated transaminases. *Pediatr Dermatol* 2008;25(6):640-641. doi: 10.1111/j.1525-1470.2008.00791.x.
164. Sites LY, Woodmansee CS, Wilkin NK, Hanson JW, Skinner RB Jr, Shimek CM. Acute hemorrhagic edema of infancy: case reports and a review of the literature. *Cutis* 2008;82(5):320-324.
165. Alp H, Artaç H, Alp E, Reisli I. Acute infantile hemorrhagic edema: a clinical perspective (report of seven cases). *Marmara Med J* 2009;22:155-161.
166. AlSufyani MA. Acute hemorrhagic edema of infancy: unusual scarring and review of the English language literature. *Int J Dermatol* 2009;48(6):617-622. doi: 10.1111/j.1365-4632.2009.03917.x.
167. Chaudhry SH, Both H, Versteeg J, van Praag M. Infant with tender oedema and purpuric lesions (Case presentation). *Acta Paediatr* 2009;98(9):1390-1391, 1537-1538. doi: 10.1111/j.1651-2227.2009.01380.x.
168. El Hafidi N, Allouch B, Benbrahim F, Mahraoui C. L'oedème aigu hémorragique du nourrisson: une vascularite bénigne et récidivante. *J Pediatr Pueric* 2009;22(4-5):202-204. doi:10.1016/j.jpp.2009.03.004.
169. Ergüven M, Karaca Atakan S. Infantile hemorrhagic edema due to parvovirus B19 infection. *J Child* 2009;9(1):43-45.
170. Floristán Muruzabal U, Moreno Alonso de Celada R, Feltres Ochoa RA, Álvarez Gil N, De Lucas Laguna R. Edema agudo hemorrágico de la infancia: un trastorno de curso benigno. *Rev Esp Pediatr* 2009;65(2):126-128.
171. Karremann M, Jordan AJ, Bell N, Witsch M, Dürken M. Acute hemorrhagic edema of infancy: report of 4 cases and review of the current literature. *Clin Pediatr (Phila)*. 2009;48(3):323-326. doi: 10.1177/0009922808323113.
172. Menteş SE, Taşkesen M, Katar S, Günel ME, Akdeniz S. Acute hemorrhagic edema of infancy. *Dicle Univ Tip Fakul Derg* 2009;36(1):56-58.
173. Niccoli AA, Castellani MS, Gerardini E, Fioretti P, Castellucci G. Edema emorragico acuto del lattante: descrizione di un caso clinico. *Riv Ital Pediatr Osped* 2009;2(3):23-25.
174. Tagliabue A, Bettinelli A, Cogliati F. Edema acuto emorragico della prima infanzia (Porpora di Seidlmayer). *Medico e Bambino pagine elettroniche* 2009;12(6) https://www.medicoebambino.com/?id=CL0906_40.html.
175. Valencia-Herrera AM, Morales-Fuentes RA, Mejía-Rodríguez SA, Álvarez-Reyes A, Moguel-Parra G, Escobar-Sánchez A, Mena-Cedillos CA. Infantile acute hemorrhagic edema in a female child: a different entity from Henoch-Shönlein purpura. *Bol Med Hosp Infant Mex* 2009;66(5):440-445.

176. Abbas O, Ghosn S. Question: Can you identify this condition? Acute hemorrhagic edema of infancy. *Can Fam Physician* 2010;56(7):666.
177. Halicioğlu O, Akman SA, Sen S, Sutcuoglu S, Bayol U, Karci H. Acute hemorrhagic edema of infancy: a case report. *Pediatr Dermatol* 2010;27(2):214-215. doi: 10.1111/j.1525-1470.2009.00943.x.
178. Kafaie P, Akaberi AA, Hajihossieni H, Taghi Noorbala M. Acute hemorrhagic edema of infancy: A case report. *J Pak Assoc Dermatol* 2010;20:172-175.
179. Küçüktaşçı K, Semiz S, Çolpan A. Acute hemorrhagic edema of infancy. *Turkish J Pediatr Dis* 2010;4(2):109-113.
180. Kumar P, Mondal A, Ghosh K, Gharami RC. Acute hemorrhagic edema of infancy with extensive necrosis - a rare presentation. *J Turk Acad Dermatol* 2010;4(2):04201c.
181. Monteiro C, Lira S, Zilhão C. Edema hemorrágico agudo da infância - Dois casos clínicos. *Birth Growth Med J* 2010;19(1):14-16.
182. Roldán Ros AM, Rueda Muñoz A, López Lorite AM, Pina Sánchez-Arjona B. Edema hemorrágico agudo en un lactante. *Acta Pediatr Esp* 2010;68(7):366-368.
183. Slutsky JB, Lee K, Adams CW, Jones EC, Hayman RT. Acral petechiae and purpuric plaques in a 3-year-old girl-quiz case. Acute hemorrhagic edema of infancy (AHEI), or Finkelstein disease. *Arch Dermatol* 2010;146(9):1037-1042. doi: 10.1001/archdermatol.2010.217-a.
184. Stewart LC, Leech SN, Ulmann D, Sloan P, Abinun M. Acute haemorrhagic oedema of infancy - a case of benign cutaneous leucocytoclastic vasculitis. *Rheumatology (Oxford)* 2010;49(8):1604-1606. doi: 10.1093/rheumatology/keq104.
185. Bansal S, Ghatge S, Jerajani HR. Sudden onset purpura in a healthy infant: acute hemorrhagic edema of infancy. *Indian J Dermatol* 2011;56(3):349-351.
186. Cacharrón Caramés T, Díaz Soto R, Suárez García F, Rodríguez Valcárcel G. Edema hemorrágico agudo del lactante. *An Pediatr* 2011;74(4):272-273. doi: 10.1016/j.anpedi.2010.10.024.
187. Chandrakasan S, Singh S, Dogra S, Delaunay J, Proust A, Minz RW. Wiskott-Aldrich syndrome presenting with early onset recurrent acute hemorrhagic edema and hyperostosis. *Pediatr Blood Cancer* 2011;56(7):1130-1132. doi: 10.1002/pbc.22888.
188. Emerich PS, Prebianchi PA, Motta LL, Lucas EA, Ferreira LM. Acute hemorrhagic edema of infancy: report of three cases. *An Bras Dermatol* 2011;86(6):1181-1184. doi: 10.1590/s0365-05962011000600019.
189. Ferreira O, Antunes I, Cruz MJ, Mota A, Bettencourt H, Canelhas Á, Azevedo F. Acute hemorrhagic edema of childhood after H1N1 immunization. *Cutan Ocul Toxicol* 2011;30(2):167-169. doi: 10.3109/15569527.2010.536797.

190. Ilknur T, Fetil E, Lebe B, Güneş AT. Leukocytoclastic vasculitis presenting as acute hemorrhagic edema in a 21-year-old patient. *Int J Dermatol* 2011;50(7):860-862. doi: 10.1111/j.1365-4632.2010.04489.x.
191. Moradinejad MH, Entezari P, Mahjoub F, Ziaee V. Acute hemorrhagic edema of infancy; a report of five Iranian infants and review of the literature. *Iran J Pediatr* 2011;21(1):107-112.
192. Turan H, Turan A. Acute hemorrhagic edema of infancy: a case report. *Güncel Pediatri* 2011;9(2):50-52.
193. Behmanesh F, Heydarian F, Toosi MB. Acute hemorrhagic edema of infancy: report of two cases report. *Iran J Blood Cancer* 2012;4(2):93-96.
194. Boos MD, McMahon P, Castelo-Soccio L. Acute onset of a hemorrhagic rash in an otherwise well-appearing infant. *J Pediatr* 2012;161(6):1175. doi: 10.1016/j.jpeds.2012.06.011.
195. Brett A, Rodrigues F, Salgado M. Lesões purpúricas - que diagnóstico? *Acta Pediatr Port* 2012;43(4):179-180.
196. Cabanillas-Becerra J, Pérez-del Arca C, Vera C, Barquinero-Fernández A. Edema agudo hemorrágico del lactante. *Dermatol Peru* 2012;22(4):182-186.
197. Dongre A, Adhe V, Kothari D, Kardekar S, Khopkar U. Acute hemorrhagic edema of infancy: a report of two cases. *Indian J Dermatol Venereol Leprol* 2012;78(1):121.
198. Fotis L, Nikorelou S, Lariou MS, Delis D, Stamoyannou L. Acute hemorrhagic edema of infancy: a frightening but benign disease. *Clin Pediatr (Phila)* 2012;51(4):391-393. doi: 10.1177/0009922810396549.
199. Martínez García MS, Casado Sánchez ML. ¿Púrpura de Schönlein-Henoch o edema agudo hemorrágico del lactante? *Rev Pediatr Aten Primaria* 2012;14(55):231-233.
200. Paula Yarmuch G, Ximena Chaparro R, Cecilia Fischer S, Christian Haussmann G, Samuel Benveniste D. Edema hemorrágico agudo del lactante: reporte de un caso de presentación atípica. *Rev Chil Pediatr* 2012;83(5):462-467.
201. Alaygut D, Kılıç SÇ, Gülsever O, Gavas HT, Bostancı PK. Bir olgu nedeni ile akut infantil hemorajik ödem. *Cumhuriyet Tıp Derg* 2013;35:593-596. doi: 10.7197/1305-0028.1886.
202. Alhammadi AH, Adel A, Hendaus MA. Acute hemorrhagic edema of infancy: a worrisome presentation, but benign course. *Clin Cosmet Investig Dermatol* 2013;6:197-199. doi: 10.2147/CCID.S51525.
203. Carvalho C, Januário G, Maia P. Acute haemorrhagic oedema of infancy. *BMJ Case Rep* 2013;2013:bcr2012008145. doi: 10.1136/bcr-2012-008145.

204. Franco Soto JV, Delgado A, Deivis J, Lidiz MM, Peñuela O. Enfermedad de Finkelstein. Reporte de un caso. Arch Venez Pueric Pediatr 2013;76(1):24-26.
205. Freitas P, Bygum A. Visual impairment caused by periorbital edema in an infant with acute hemorrhagic edema of infancy. Pediatr Dermatol 2013;30(6):e132-e135. doi: 10.1111/j.1525-1470.2012.01871.x.
206. Garcia C, Sokolova A, de Lurdes Torre M, Amaro C. Edema agudo hemorrágico da infância: relato de caso e comparação com meningococemia. Rev Port Imunoalergol 2013; 21(3):213-214.
207. Jindal SR, Kura MM. Acute hemorrhagic edema of infancy-a rare entity. Indian Dermatol Online J 2013;4(2):106-108. doi: 10.4103/2229-5178.110630.
208. Rodríguez Estoup MV, Hernández M, Soliani A, Abeldaño A. Edema y lesiones purpúricas en miembros inferiores de un lactante. Dermatol Pediatr Lat 2013;11(2):79-82.
209. Savino F, Lupica MM, Tarasco V, Locatelli E, Viola S, di Montezemolo LC, Coppo P. Acute hemorrhagic edema of infancy: a troubling cutaneous presentation with a self-limiting course. Pediatr Dermatol 2013;30(6):e149-e152. doi: 10.1111/pde.12004.
210. Scheer HS, Weibel L. Sudden purpuriform rash in an infant. JAMA 2013;309(20):2159-2160.
211. Sert A, Yazar A, Odabaş D, Çelik AY. Akut infantil hemorajik ödem: İki olgu sunumu. Van Med J 2013;20(3):162-165.
212. Bachmann Holzinger II, Neuhaus TJ, Portmannb S. Kokardenpurpura, rote Ohren und schmerzende Füße bei kleinen Kindern. Schweiz Med Forum 2014;14(29-30):545-546.
213. Chowdhury SR, Ganguly, S, Mukherjee S, Samanta M, Datta K. Acute hemorrhagic edema of infancy. Indian J Pediatr 2014;81(8):811-813. doi: 10.1007/s12098-013-1293-3.
214. Di Lernia V. Mycoplasma pneumoniae: an aetiological agent of acute haemorrhagic oedema of infancy. Australas J Dermatol. 2014;55(4):e69-e70. doi: 10.1111/ajd.12047.
215. Dotan M, Nahum E, Weigl D, Bilavsky E. Compartment syndrome because of acute hemorrhagic edema of infancy: a case report and literature review. J Pediatr Orthop B 2014;23(5):419-421. doi: 10.1097/BPB.0000000000000060.
216. Dutta A, Ghosh SK. Acute hemorrhagic edema of infancy. Indian Pediatr 2014;51(8):677-678.
217. Glamann JA, Morrison AK, Mychaliska KP. On target: a case of acute hemorrhagic edema of infancy. Hosp Pediatr 2014;4(2):106-108. doi: 10.1542/hpeds.2013-0054.

218. Hawkrigg S, Johnson A, Flynn J, Thom G, Wright H. Acute haemorrhagic oedema of infancy in a 5-week-old boy referred to the Child Protection Unit. *J Paediatr Child Health* 2014;50(6):487-489. doi: 10.1111/jpc.12453.
219. Maggio MC, Ferraro F, Ragusa SS, Corpora U, Corsello G. Idiopathic Seidlmayer's purpura: a case report. *Case Rep Dermatol* 2014;6(2):150-153. doi: 10.1159/000362754.
220. Mohd Sazlly Lim S, Shamsudin N. Acute haemorrhagic oedema of infancy with bullae and koebnerisation. *Malays Fam Physician* 2014;9(2):55-57.
221. Nacaroğlu HT, Saygaz S, Sandal ÖS, Karkiner CSÜ, Yıldırım HT, Can D. Acute hemorrhagic edema of infancy after vaccination: a case report. *J Pediatr Inf* 2014;8:40-43. doi: 10.5152/ced.2013.41.
222. Orden Rueda C, Clavero Montañés N, Berdún Cheliz E, Calvo Ferrer C, Visiedo Fenollar A, Sánchez Gimeno J. Edema agudo hemorrágico. *Bol Pediatr Arag Rioj Sor* 2014;44(3):64-66.
223. Risikesan J, Koppelhus U, Steiniche T, Deleuran M, Herlin T. Methylprednisolone therapy in acute hemorrhagic edema of infancy. *Case Rep Dermatol Med* 2014;2014:853038. doi: 10.1155/2014/853038.
224. Robl R, Robl M, Marinoni LP, Abagge KT, Carvalho VO. Target-shaped edematous purple lesions: is it child abuse? *Arch Dis Child* 2014;99(1):44-45. doi: 10.1136/archdischild-2013-304874.
225. Sorensen EP, Matiz C, Friedlander SF. An 8-month-old boy with purpuric skin lesions. Acute hemorrhagic edema of infancy. *Pediatr Ann* 2014;43(1):e4-e8. doi: 10.3928/00904481-20131223-09.
226. Argyri I, Korona A, Mougkou K, Vougiouka O, Tsolia M, Spyridis N. Photo quiz. An infant with purpuric rash and edema. *Clin Infect Dis* 2015;61(10):1553,1624-1625. doi: 10.1093/cid/civ546.
227. Binamer Y. Acute hemorrhagic edema of infancy after MMR vaccine. *Ann Saudi Med* 2015;35(3):254-256. doi: 10.5144/0256-4947.2015.254.
228. Breda L, Franchini S, Marzetti V, Chiarelli F. Escherichia coli urinary infection as a cause of acute hemorrhagic edema in infancy. *Pediatr Dermatol* 2015;32(6):e309-e311. doi: 10.1111/pde.12690.
229. Checa Rodríguez R, Carabaño Aguado I, Álvarez Fernández B. Edema agudo hemorrágico en un neonato. *Pediatr Aten Primaria* 2015;17(66):151-153.
230. Cunha DF, Darcie AL, Benevides GN, Ferronato AE, Hein N, Lo DS, Yoshioka CR, Hirose M, Cardoso DM, Gilio AE. Acute hemorrhagic edema of infancy: an unusual diagnosis for the general pediatrician. *Autops Case Rep* 2015;5(3):37-41. doi: 10.4322/acr.2015.020.
231. Dhillon M, Dhariwal DK. Acute haemorrhagic oedema of infancy (AHOI): a case report. *J Maxillofac Oral Surg* 2015;14(Suppl 1):173-175. doi: 10.1007/s12663-012-0405-3.

232. Fraga BSD, Barbosa NM, Miranda BPC, Leite MAR. Edema hemorrágico agudo da infância: um relato de caso. *Rev Pediatr SOPERJ* 2015;15(supl 1)(2):24.
233. Gül N, Çelik T, Kara F, Dilen F, Temiz F, Çelik Ü. Acute infantile hemorrhagic edema: a case and literature review. *J Pediatr Inf* 2015;9:175-177. doi: 10.5152/ced.2015.1668.
234. Kars V, Yilmaz A, Celepkolu T, Aslanhan H, Arslan N, Demir V. Acute infantile hemorrhagic edema mimicking Henoch-Schönlein purpura. *Med Sci Discov* 2015;2(2):193-194. doi: 10.17546/msd.17911.
235. Kurtipek GS, Akyürek FT, Ataseven A, Kocaoglu Ç, Küçükosmanoğlu İ. Infantile acute hemorrhagic edema: four attacks in two years. *Abant Med J* 2015;4(3):269-271. doi: 10.5505/abantmedj.2015.60352.
236. Magro CM. Acute hemorrhagic edema of infancy. *Dermatopathologist* 2015;23(6):4.
237. Monteiro Lacerda AC, Silva SA, Simão Rafael M, Madeira Correia SA, Barradas Batista C, Ferreira Castanhinha SI. Edema hemorrágico agudo da infância: uma vasculite com bom prognóstico. *Sci Med* 2015;25(3):21381. doi: 10.15448/1980-6108.2015.3.21381.
238. Nair BT, Krishna SR, Karmani S. Leukocytoclastic vasculitis following DPT vaccination. *Trop J Med Res* 2015;18:42-44. doi: 10.4103/1119-0388.152695.
239. Oliveira JA, Lopes L, Fraga A, Soares-de-Almeida L, Águas B, Siborro-Azevedo A. Acute hemorrhagic edema of infancy: a rare cause of purpuric exanthema. *J Pediatr* 2015;166(2):498-98.e1. doi: 10.1016/j.jpeds.2014.09.048.
240. Ostini A, Ramelli GP, Mainetti C, Bianchetti MG, Ferrarini A. Recurrent Finkelstein-Seidlmayer disease in four first-degree relatives. *Acta Derm Venereol* 2015;95(5):622-623. doi: 10.2340/00015555-2017.
241. Pittet LF, Siebert JN, Lacroix LE. Striking but benign: acute haemorrhagic oedema of infancy. *Lancet* 2015:S0140-6736(15)00318-9. doi: 10.1016/S0140-6736(15)00318-9.
242. Roy KP, Madke B, Kar S, Yadav N. Acute hemorrhagic edema of infancy. *Indian J Dermatol* 2015;60(6):624-625. doi: 10.4103/0019-5154.169150.
243. Sarkar S, De A. Urticaria multiforme. *Indian Pediatr* 2015;52:633. doi: 10.1007/s13312-015-0690-2.
244. Açıkgoz M, Güzel A. Acute hemorrhagic edema of infancy: a case report. *J Pediatr Emerg Intensive Care Med* 2016;3:46-48. doi: 10.4274/cayd.64936.
245. Ameta G. Acute hemorrhagic edema: rare variety of leukocytoclastic vasculitis. *Indian J Paediatr Dermatol* 2016;17(4):280-282. doi: 10.4103/2319-7250.184330.
246. Butterfield R, Patel B. Visual diagnosis: infant with ecchymoses. *Pediatr Rev* 2016;37(10):e41-e44. doi: 10.1542/pir.2015-0119.

247. Caixeta MF, Lima JS, Zandonaide AGB. Acute hemorrhagic edema of childhood: case report and comparison with meningococemia. *Resid Pediatr* 2016;6(2):98-102. doi: 10.18554/refacs.v5i1.1918.
248. Efsthathiou E, Papamichalopoulou S, Georgiou G, Hadjipanayis A. Rapid onset of purpuric rash in an otherwise healthy 6-month-old infant. *Clin Pediatr* 2016;56(14):1377-1380. doi: 10.1177/0009922816674524.
249. Homme JL, Block JM. Acute hemorrhagic edema of infancy and common mimics. *Am J Emerg Med* 2016;34(5):936.e3-6. doi: 10.1016/j.ajem.2015.09.030.
250. Karaman K, Akbayram S, Garipardiç M, Öner AF. Acute infantile hemorrhagic edema: report of two cases. *Turk J Pediatr Dis* 2016;3:216-218. doi: 10.12956/tjpd.2016.196.
251. Kretschmer AM, Krause B, Buchauer F, Seeliger S. Akutes hämorrhagisches Ödem des Kleinkindes. *Monatsschr Kinderheilkd* 2016;164:598-602. doi: 10.1007/s00112-015-0015-5.
252. Mreish S, Al-Tatari H. Hemorrhagic lacrimation and epistaxis in acute hemorrhagic edema of infancy. *Case Rep Pediatr* 2016;2016:9762185. doi: 10.1155/2016/9762185.
253. Neves C, Brito N, Santos D, Mota L. Purpuric lesions: what diagnosis? *BMJ Case Rep* 2016;2016:bcr2015210154. doi: 10.1136/bcr-2015-210154.
254. Özdemir Ö, Avcı O, Akın İM, Büyükkayhan D. Prognostic importance of D-dimer level in acute infantile hemorrhagic edema. *J Curr Pediatr* 2016;14:142-146. doi:10.4274/jcp.69775.
255. Pinto PA, Aguiar C, Dinis MJ, Ramos S. Edema agudo hemorrágico do lactente - a (re) conhecer. *Birth Growth Med J* 2016;25(4):251-254.
256. Serra E Moura Garcia C, Sokolova A, Torre ML, Amaro C. Acute hemorrhagic edema of infancy. *Eur Ann Allergy Clin Immunol* 2016;48(1):22-26.
257. Al Murayshid AI. Acute haemorrhagic oedema with extensive trunk involvement and rhinovirus infection association. *J Dermatol Dermatol Surg* 2017;21:27-30. doi: 10.1016/j.jdds.2016.08.004.
258. Alvarado Socarras J, Fernandez Velosa ZA. Edema agudo hemorrágico de la infancia. Lesiones alarmantes de un cuadro benigno. Reporte de caso. *Arch Argent Pediatr* 2017;115(6):e432-e435. doi: 10.5546/aap.2017.e432.
259. Behera B, Singh N, Thappa DM, Rajesh NG. Acute hemorrhagic edema of infancy: panicked parents and playful child. *Indian J Paediatr Dermatol* 2017;18(1):67-69. doi: 10.4103/2319-7250.184327.
260. Chavez-Alvarez S, Barbosa-Moreno L, Ocampo-Garza J, Ocampo-Candiani J. Acute hemorrhagic edema of infancy (Finkelstein's disease): favorable outcome with systemic steroids in a female patient. *An Bras Dermatol* 2017;92(1):150-152. doi: 10.1590/abd1806-4841.20175846.

261. Chesser H, Chambliss JM, Zwemer E. Acute hemorrhagic edema of infancy after coronavirus infection with recurrent rash. *Case Rep Pediatr* 2017;2017:5637503. doi: 10.1155/2017/5637503.
262. Consuegra-Solano J, Agualimpia-Palacios LC, Cadavid-Zapata KL, Kury-Palacios SY, Sánchez IP. Edema agudo hemorrágico de la infancia. *CES Med* 2017;31(2):192-198. doi: 10.21615/cesmedicina.31.2.8.
263. Debray A, Ollier V, Coutard A, Arditty F, Bekkar S, Bodemer C, Leruez-Ville M, Mirand A, Lesage F, Foucaud P. Oedème aigu hémorragique du nourrisson associé à une infection à Cocksackie virus. *Arch Pédiatr* 2017;24(12):1262-1266. doi: 10.1016/j.arcped.2017.09.013.
264. Elmahi H, Elloudi S, Baybay H, Gallouj S, Mernissi FZ. Acute hemorrhagic edema of infancy: a new observation. *Int J Pediatr Health Care Adv* 2017;4(2):29-30. doi: 10.19070/2572-7354-170009.
265. Neri I, Labriola F, Virdi A, Patrizi A. An impressive, sudden, and purpuric eruption. *J Pediatr* 2017;191:278-278. doi: 10.1016/j.jpeds.2017.08.059
266. Parker L, Shahar-Nissan K, Ashkenazi-Hoffnung L, Harel L, Amir J, Trivizki O, Bilavsky E. Acute hemorrhagic edema of infancy: the experience of a large tertiary pediatric center in Israel. *World J Pediatr* 2017;13(4):341-345. doi: 10.1007/s12519-017-0032-7.
267. Temel EÜ, Öz NA, Temizkan RC, Hıdımoğlu B, Kocabay K. Bad-looking, good-natured disease: acute hemorrhagic edema of infancy. *J Curr Pediatr* 2017;15:51-54. doi:10.4274/jcp.29484.
268. Van der Heggen T, Dhont E, Schelstraete P, Colpaert J. Acute hemorrhagic edema of infancy: a dramatic presentation with a benign course. *Belg Assoc Pediatr* 2017;19(1):49.
269. Agarwal N, Taneja S, Bihari S, Verma A. Acute hemorrhagic edema in a nursing infant - An unusual diagnosis. *Indian J Child Health* 2018;5(4):310-311.
270. Backhouse L, Furnell D, Li Kam Wa I. Unexplained bruising: a developing story. *BMJ Case Rep* 2018;2018:bcr2017222793. doi: 10.1136/bcr-2017-222793.
271. Bhandari B, Singh R, Kumar M, Saun A. Acute hemorrhagic edema of infancy. *Indian J Pediatr* 2018;85(3):245-246. doi: 10.1007/s12098-017-2463-5.
272. Bülbül L, Hatipoğlu N, Özkul Sağlam N, Hasbal Akkuş C, Hatipoğlu S. Acute hemorrhagic edema of infancy: a two-case report. *Med Bull Sisli Etfal Hosp* 2018;52(3):220-223. doi: 10.5350/SEMB.20170419063548.
273. Ceci M, Conrieri M, Raffaldi I, Pagliardini V, Urbino AF. Acute hemorrhagic edema of infancy: still a challenge for the pediatrician. *Pediatr Emerg Care* 2018;34(2):e28-e29. doi: 10.1097/PEC.0000000000000749.

274. Chiriac A, Podoleanu C, Naznean A, Stolnicu S. Acute hemorrhagic edema of infancy: a benign condition with impressive clinical picture. *Pediatr Neonatol* 2018;59(5):538-539. doi: 10.1016/j.pedneo.2018.07.010.
275. Dayananda P, Barrett S, Nair S. A case of human Metapneumovirus associated with acute haemorrhagic oedema of infancy. *Clin Med Rev Case Rep* 2018;5(4):210. doi.org/10.23937/2378-3656/1410210.
276. Drerup C, Hake L, Oji V, Sunderkötter C. Recurrent acute hemorrhagic edema of infancy (AHEI) during puberty. *J Dtsch Dermatol Ges* 2018;16(12):1496-1498. doi: 10.1111/ddg.13699.
277. Haeusler IL, Mohan R. Acute haemorrhagic oedema of infancy: a benign cause of a formidable rash. *BMJ Case Rep* 2018;2018: bcr-2017-223368. doi: 10.1136/bcr-2017-223368.
278. Landau DC, Bosio Bonet M, Salduna MD, Kahn A, Kurpis M, Ruiz Lascano A. Edema hemorrágico agudo del lactante. *Arch Argent Pediatr* 2018;116(2):166-168.
279. Manzano G, Shantharam R, Webb E, Finelt N, Hengel K. Hemolacria, hematochezia, and hematuria in an 11-month-old boy. *Pediatr Rev* 2018;39(8):418-420. doi: 10.1542/pir.2016-0155.
280. Rohr BR, Manalo IF, Mowad C. Acute hemorrhagic edema of infancy: guide to prevent misdiagnosis. *Cutis* 2018;102(5):359-362.
281. Speirs L, McVea S, Little R, Bourke T. What is that rash? *Arch Dis Child Educ Pract Ed* 2018;103(1):25-26. doi: 10.1136/archdischild-2016-311782.
282. Alharbi MS. Role of systemic steroids in acute hemorrhagic edema of infancy: report of two cases. *Int J Adv Med* 2019;6(2):537-541. doi: 10.18203/2349-3933.ijam20191172.
283. Bekdaş M, İldeş EN. Acute infantile hemorrhagic edema following Measles Mumps Rubella vaccine: a case report. *Abant Med J* 2019;8(2):87-89. doi:10.5505/abantmedj.2019.09821.
284. Benli S, Tekin M. A case of acute infantile hemorrhagic edema. *Ege J Med* 2019;58(1):84-85.
285. Bhattarai D, Guleria S, Suri D. Acute haemorrhagic oedema of infancy: alarming but clinically benign vasculitis. *J Paediatr Child Health* 2019;55(9):1150-1151. doi: 10.1111/jpc.14545.
286. Carboni E, Scavone M, Stefanelli E, Talarico V, Zampogna S, Galati MC, Raiola G. Case report: acute hemorrhagic edema of infancy (Seidlmayer purpura) - a dramatic presentation for a benign disease. *F1000Res* 2019;8:1771. doi: 10.12688/f1000research.20645.1.
287. Garcia-Muro C, Esteban-Zubero E. Acute hemorrhagic edema of infant: a case report. *Mathews J Pediatr* 2019;4(1):15.

288. Kılıçaslan Ö, Yıldız R, Engin MMN, Büyük N, Temizkan RC, Özlü E, Kocabay K. Acute infantile hemorrhagic edema clinic: two case reports. *J Acad Res Med* 2019;9(2):111-114.
289. Miconi F, Cassiani L, Savarese E, Celi F, Papini M, Principi N, Esposito S. Targetoid skin lesions in a child: acute hemorrhagic oedema of infancy and its differential diagnosis. *Int J Environ Res Public Health* 2019;16(5):e823. doi: 10.3390/ijerph16050823.
290. Rinoldi PO, Milani GP, Bianchetti MG, Ferrarini A, Ramelli GP, Lava SAG. Acute hemorrhagic edema of young children: open questions and perspectives. *Int J Dermatol Skin Care* 2019;1:63-67.
291. Spagnut G, Silecchia V, Valerio E, Cutrone M, Grimalt R. Isolated acute hemorrhagic edema of the eyelids. *J Dermatol Res* 2019;4(2):172-173. doi:10.17554/j.issn.2413-8223.2019.04.46-3.
292. Thakur P, Negi B, Chandrashekar, Attri P, Basit R, Bhardwaj V, Gupta R. Acute haemorrhagic oedema of infancy. *J Med Sci Clin Res* 2019;7(8):549-551. doi: 10.18535/jmscr/v7i8.92.
293. Varanaki ME, Ladomenou F, Anatoliotakj M, Vlachaki G. Review and case report of acute hemorrhagic edema of infancy. A benign cause of a striking rash. *Eur J Pediatr Dermatol* 2019;29(3):134-138. doi: 10.26326/2281-9649.29.3.1999.
294. Yalçın K, Girişgen İ, Polat M, Demirkan Çallı N, Yüksel S. A case report of acute infantile hemorrhagic edema with adenovirus infection. *Pam Med J* 2019;12(2):333-336. doi: 10.31362/patd.474977.
295. Cucinotta U, Mazza F, Pajno GB, Gallizzi R. Acute haemorrhagic oedema of infancy: a condition that is not always benign. *BMJ Case Rep* 2020;13:e236059. doi:10.1136/bcr-2020-236059.
296. Edwards MO, El Briri A. Purpuric rash in an infant after chicken pox exposure. *Oxf Med Case Reports* 2020(1):omz142. doi: 10.1093/omcr/omz142.
297. Gao PR, Yen H, Chen WT. Acute hemorrhagic edema of infancy. *CMAJ* 2020 26;192:E1309. doi: 10.1503/cmaj.200418.
298. Haddad GR, Protásio IR, Fioretto JR, Cardoso LF, Romero FR, Martin JG. Acute hemorrhagic edema of infancy: a case series of three cases. *Indian J Case Reports* 2020;6(12):676-678. doi: 10.1590/s0365-05962011000600019.
299. Relhan V, Sandhu J, Garg VK, Khurana N. A rare vasculitis with a dramatic presentation: acute hemorrhagic edema of infancy. *Indian J Paediatr Dermatol* 2020;21:215-217. doi: 10.4103/ijpd.IJPD_84_18.
300. Riola Blanco AM, López Pacios D, Serrano Crespo N. Edema agudo hemorrágico del lactante. *Rev Pediatr Aten Primaria* 2020;21(84):397-399.
301. Salam A, Zaman S, Banerjee P. A rapidly evolving rash in a well child. *Paediatr Child Health* 2020;25(3):129-130. doi: 10.1093/pch/pxz009.

302. Shahbaznejad L, Navaeifar MR, Abbaskhanian A, Hosseinzadeh F, Rahimzadeh G, Rezai MS. Clinical characteristics of 10 children with a pediatric inflammatory multisystem syndrome associated with COVID-19 in Iran. *BMC Pediatr* 2020;148:e196. doi: 10.1017/S095026882000196X.
303. Wadhwa A, Patra AK, Dharman BK. A case of acute hemorrhagic edema of infancy. *Our Dermatol Online* 2020;11(2):146-148. doi: 10.7241/ourd.20202.7.
304. Contorno S, Cozzi G, Berti I, Barbi E, Taddio A. Young child with painful edema and purpura: a case report. *Ital J Pediatr* 2021;47(1):61. doi: 10.1186/s13052-021-01001-y.
305. Dewan P, Singal A. Childhood Rashes: A Pediatrician's Dilemma. *Indian Pediatr*. 2021;58(1):99. doi: 10.1007/s13312-021-2122-9.
306. Hancock R, Rothman I, Mannix MK, Islam S. Infant with a rapidly progressing rash. *BMJ Case Rep* 2021;14:e239353. doi: 10.1136/bcr-2020-239353.
307. Heck E, Johnson N, Ramien M. Autoinflammatory disease mimicking acute hemorrhagic edema of infancy. *Pediatr Dermatol* 2021;38(1):223-225. doi: 10.1111/pde.14402.
308. Hoskins B, Keeven N, Dang M, Keller E, Nagpal R. A child with COVID-19 and immunoglobulin a vasculitis. *Pediatr Ann* 2021;50(1):e44-e48. doi: 10.3928/19382359-20201211-01.
309. Janssen NE, Keukens L. Indrukwekkend huidbeeld bij een gezond kind. *Huisarts Wet* 2021;64:1-3. doi:10.1007/s12445-020-0994-x.
310. Medovic R, Medovic M, Igrutinovic Z, Vlahovic A, Kostic G, Ristic G, Vuletic B, Markovic S. Acute hemorrhagic edema of infancy - is it really a mild, benign disease? *Turk J Pediatr* 2021;63(1):141-148. doi:10.24953/turkjped.2021.01.017.
311. O'Connor C, Bux D, O'Connell M. Acute haemorrhagic oedema of infancy: first report of a rare small vessel vasculitis in the neonatal period. *Arch Dis Child*. 2021;106(6):582. doi: 10.1136/archdischild-2020-319739.
312. Saliba E, Sayad A, Alameddine L, El-Haddad K, Tannous Z. Mycoplasma pneumonia and atypical acute hemorrhagic edema of infancy. *Am J Emerg Med* 2021;41:266.e3-266.e5. doi: 10.1016/j.ajem.2020.08.067.
313. Saraiva BM, Lobato MB, Santos E, Garcia AM. Acute haemorrhagic oedema of infancy as a manifestation of COVID-19. *BMJ Case Rep* 2021;14:e241111. doi:10.1136/bcr-2020-241111.
314. Sneller H, Vega C, Zemel L, Chicaiza HP. Acute hemorrhagic edema of infancy with associated hemorrhagic lacrimation. *Pediatr Emerg Care* 2021;37(2):e70-e72. doi: 10.1097/PEC.0000000000001542.