



Expressed sequence tags of the peanut pod nematode *Ditylenchus africanus*: The first transcriptome analysis of an Anguinid nematode[☆]

Annelies Haegeman^a, Joachim Jacob^a, Bartel Vanholme^{a,1}, Tina Kyndt^a, Makedonka Mitreva^b, Godelieve Gheysen^{a,*}

^a Faculty of Bioscience Engineering (FBE), Department of Molecular Biotechnology, Ghent University, Coupure links 653, B-9000 Ghent, Belgium

^b The Genome Center, Washington University School of Medicine, 4444 Forest Park Boulevard, St. Louis, MO, USA

ARTICLE INFO

Article history:

Received 28 October 2008

Received in revised form 7 April 2009

Accepted 12 April 2009

Available online 19 April 2009

Keywords:

Transcripts

Parasitism genes

Gene ontology

Anhydrobiosis

RNAi

ABSTRACT

In this study, 4847 expressed sequenced tags (ESTs) from mixed stages of the migratory plant-parasitic nematode *Ditylenchus africanus* (peanut pod nematode) were investigated. It is the first molecular survey of a nematode which belongs to the family of the Anguinidae (order Rhabditida, superfamily Sphaerularioidea). The sequences were clustered into 2596 unigenes, of which 43% did not show any homology to known protein, nucleotide, nematode EST or plant-parasitic nematode genome sequences. Gene ontology mapping revealed that most putative proteins are involved in developmental and reproductive processes. In addition unigenes involved in oxidative stress as well as in anhydrobiosis, such as LEA (late embryogenesis abundant protein) and trehalose-6-phosphate synthase were identified. Other tags showed homology to genes previously described as being involved in parasitism (expansin, SEC-2, calreticulin, 14-3-3b and various allergen proteins). *In situ* hybridization revealed that the expression of a putative expansin and a venom allergen protein was restricted to the gland cell area of the nematode, being in agreement with their presumed role in parasitism. Furthermore, seven putative novel candidate parasitism genes were identified based on the prediction of a signal peptide in the corresponding protein sequence and homologous ESTs exclusively in parasitic nematodes. These genes are interesting for further research and functional characterization. Finally, 34 unigenes were retained as good target candidates for future RNAi experiments, because of their nematode specific nature and observed lethal phenotypes of *Caenorhabditis elegans* homologs.

© 2009 Elsevier B.V. All rights reserved.

1. Introduction

Expressed sequence tag (EST) analysis is a relatively cheap and rapid method to obtain a first molecular impression of a species. The technique consists of a random selection of clones from a cDNA library and sequencing of their inserts. Although it is mainly used for gene discovery [1], it can also be used for other goals, e.g. estimation of gene expression level [2], detection of single nucleotide polymorphisms [3], or improving genome annotation [4]. In nematology, the technique is widely used and to date over 1 million ESTs from over 60 species are available (dbEST, NCBI GenBank). Some of these ESTs are derived from cDNA libraries generated from specific life stages or from specific tissues of the nematode. In the

case of plant-parasitic nematodes, the transcriptional activity of the pharyngeal glands is of particular interest since gland proteins are injected in the plant tissue during the nematode–host interaction. EST analyses have led to the discovery of many of these parasitism genes that code for hydrolytic enzymes, such as pectate lyase [5] and xylanase [6]. They are involved in maceration of the plant cell walls during migration of the nematode in the plant tissue.

The peanut pod nematode *Ditylenchus africanus* (Wendt, Swart, Vrain and Webster, 1995) was first found in hulls and seeds of groundnut (*Arachis hypogaea* L.) in South Africa [7]. It was initially identified as *Ditylenchus destructor*, the potato rot nematode, but experiments showed that it caused no damage to different potato varieties [8]. Therefore the South African population was eventually considered a new race, but later molecular data revealed that this organism rather had to be considered as a new species [9]. Within the nematode order of the Rhabditida, it belongs to the family of the Anguinidae and superfamily Sphaerularioidea [10]. *D. africanus* is a migratory endoparasite with peanut as the main host, causing black discoloration of the seeds and pods. Besides being a parasite of plants, it can also feed and reproduce on the hyphae of com-

[☆] Note: EST sequence data reported in this paper are available in the GenBankTM, EMBL and DDBJ databases under the accession numbers from FE920352 to FE925198.

* Corresponding author. Tel.: +32 92645888; fax: +32 92646219.

E-mail address: godelieve.gheysen@ugent.be (G. Gheysen).

¹ Present address: Department of Plant Systems Biology, Flanders Interuniversity Institute of Biotechnology, Technologiepark 927, B-9052 Zwijnaarde, Belgium.

mon plant pathogenic fungi such as *Aspergillus parasiticus*, *Fusarium oxysporum*, *Botrytis cinerea* and *Rhizoctonia solani*. It has a short life cycle of only 6–7 days at its optimal temperature of 28 °C and can survive long periods of drought by anhydrobiosis [8]. Of several economically important genera in the Anguinidae family, *Ditylenchus* spp. have the widest impact on agriculture [11]. *Ditylenchus dipsaci*, a species complex with an extremely wide host range, is one of the most devastating plant-parasitic nematodes, especially in temperate regions (www.eppo.org). *D. destructor* is an important pest of potato tubers in Europe and North America, while *D. africanus* is a huge problem in the cultivation of groundnuts in South Africa. It was shown that 73% of the seeds collected from different growers was infected [7], and that this mainly has a qualitative effect on the groundnuts leading to a significantly lower income for the farmers [12].

D. africanus is an interesting nematode to subject to EST analysis for several reasons. First, no molecular knowledge is available for this species or any other member of the Anguinidae. Second, it has a different taxonomic classification in contrast to other EST studies examining plant-parasitic nematodes, which focused mainly on species from the superfamily Tylenchoidea (grouping cyst and root-knot nematodes as well as migratory nematodes such as *Radopholus* and *Pratylenchus*). Third, it is a plant-parasitic nematode facultatively feeding on fungi. Only one nematode with a similar feeding habit has been investigated using a comparable approach (*Bursaphelenchus xylophilus*; superfamily Aphelenchoidea) [13]. Finally, it adds to the EST dataset of migratory nematodes, therefore empowering comparative studies. The focus for small-scale EST projects is gradually shifting from sedentary nematodes towards migratory nematodes. In the last few years, EST data have become available for several migratory nematodes such as *Pratylenchus penetrans* [14], *Radopholus similis* [15], *B. xylophilus* [13] and *Xiphinema index* [16].

2. Materials and methods

2.1. Nematode culture, cDNA library construction and EST generation

D. africanus was cultured at 25 °C on carrot discs in small Petri dishes (Ø 35 mm) under sterile conditions. Carrot discs were infected with approximately 100 individual nematodes. Six weeks after inoculation, nematodes were collected by rinsing the carrot discs with sterile water. RNA was extracted from approximately 10,000 individuals with TRIzol (Invitrogen, Carlsbad, CA, USA) as described by Jacob et al. [15]. A cDNA library was constructed using the SMART cDNA Library Construction Kit (Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions, starting from 1 µg RNA. The resulting *D. africanus* mixed stage library contained over 8×10^5 primary transformants. Random colonies were sequenced using the M13 forward or reverse primer at the Genome Center (Washington University, St.-Louis, MO, USA). Resulting sequences were submitted to the EST division of GenBank (dbEST).

2.2. Cleaning and clustering of the EST sequences

The sequences were cleaned using Seqclean (www.tigr.org) with a locally downloaded vector database and default parameter settings. The cleaned dataset was clustered using the TIGR Gene Indices Clustering Tool (TGICL) [17] and sequences were assembled by CAP3 [18] using default settings. The fragmentation (i.e. the percentage of unigenes which are redundant) was estimated with ESTstat [19]. The obtained unigenes served as a basis for following analyses.

2.3. Homology searches

Basic Local Alignment Search Tool (blast) analyses [20] were done both locally and by using netblast. Blastx and blastn searches were conducted with all unigenes against the NCBI protein and nucleotide database. Additionally, blastn and tblastx searches were done against the genomes of *Meloidogyne incognita* (<http://meloidogyne.toulouse.inra.fr/>) [21] and *Meloidogyne hapla* (<http://www.hapla.org/>) [22]. Since most data available for nematodes are in the EST database, a tblastx search against all nematode ESTs was done. In-house perl scripts parsed the resulting hits for species names and unigenes were subsequently classified into different categories (nematodes, invertebrates, plants, animals, fungi, prokaryotes) according to the species names derived from the blast hits. In parallel, a blastx search was conducted against proteins of the model organism *Caenorhabditis elegans*. Resulting top hits were searched for RNAi phenotypes using WormBase [23]. For all *C. elegans* homologs with an RNAi lethal phenotype, gene ontology (GO) terms were retrieved and visualized with WEGO [24]. Blastn against all mitochondrial nematode genes revealed putative mitochondrial unigenes.

To annotate GO terms, BLAST2GO [25] was used on all unigenes using default parameters. Blastx value cut-off was chosen at $E < 1e-4$. GOSlim view was used and GO graphs were generated with a node scoring filter of 25 for “molecular function”, 50 for “biological process” and 12 for “cellular component”.

2.4. Translation into putative proteins

All unigenes were translated with OrfPredictor [26]. The blastx output was used to select the correct reading frame for translation. The minimum amino acid number for predicted protein sequences was set to 40. Nucleotide sequences were trimmed to their coding parts and the overall GC content as well as the average GC content of the first (GC1), second (GC2) and third nucleotide (GC3) of the codons was calculated. Unigenes without predicted open reading frame were considered to be non-coding, and for these sequences only the GC content was calculated. Signal peptides for secretion in the predicted proteins were predicted by SignalP 3.0 [27]. A signal peptide was only assigned to a sequence when both the Hidden Markov Model (HMM) and the neural network predicted its presence. Moreover, a transmembrane domain search (<http://protfun.net/services/TMHMM/>) on the mature putative proteins revealed whether the protein was retained in the membrane.

2.5. Dot blot analysis

Forward (F) and reverse (R) primers were developed to amplify fragments of CL1, CL7, CL270, CL371, CL406, FE921742 and FE922861 (Table 1) by polymerase chain reaction (PCR). The reaction mixture contained 300 ng purified plasmids of the cDNA library as template, 0.5 µM of each primer, 4 mM dNTPs, 1.5 mM MgCl₂, 20 mM Tris–HCl (pH 8.3), 50 mM KCl and 1 U of *Taq* DNA polymerase (Invitrogen, Carlsbad, CA, USA). PCR conditions were as follows: 35 cycles of 30 s at 94 °C, 30 s at 54 °C and 40 s at 72 °C. PCR products were loaded on a 0.5× TAE 1.5% agarose gel and the resulting fragments were ligated into pGEM-T (Promega, Madison, WI, USA) and the ligation mixture was used for transformation into *Escherichia coli* DH5α cells. Transformed cells were selected on LB agar plates supplemented with 100 µg/ml carbenicillin. Plasmids of positive colonies were extracted using the Nucleobond AX Kit (Macherey-Nagel, Düren, Germany) and the inserts were sequenced at AGOWA (Berlin, Germany). Probes were generated by a PCR under conditions as described above with purified plasmid with the correct insert as template. Resulting PCR products

Table 1
Primers used for dot blot analysis and *in situ* hybridization.

Primer	Primer sequence	Primer	Primer sequence
CL1-F	TTGTGAATTCGGCTCACTG	CL1-R	AAGTTTTCTCGCCGAGTTG
CL7-F	CAGCAGACTACTGGGCATCA	CL7-R	TTCCTTCGGCTGGAATAATG
CL14-F	TCGATATGATCTGCGAGCTG	CL14-R	GCGGATGATTATGACGAGGT
CL270-F	TCTTCAGGTGATGGTCGATG	CL270-R	TTGTTCCATATAAATAATCTTTGCATT
CL371-F	TGGGTTGTTGTGAAGGTCAA	CL371-R	TCCGTTTTCTTTTGACACTCTG
CL406-F	CACCAGGTCCAGCCATTAGT	CL406-R	AAGCTGGACCGGAAGAAGAT
CL496-F	GTTTCCCGTGGCTAACAAAT	CL496-R	CATCCAGAATTTTGTCTACTGC
FE920532F	CAACCAACCTGTCTACCAGAGG	FE920532R	TCAGCCTGATCCGATAGTGAAG
FE921742F	AATTAACCGGGTTGGAAAA	FE921742R	GAAAACCGGTTCAAGGTG
FE922861F	CAAGACTGACTACGGCCACA	FE922861R	CCATAGTCCTCACCGTGCTT

were radioactively labeled with [α - ^{32} P]-dCTP with the DecaLabel DNA Labeling Kit (Fermentas, St. Leon-Rot, Germany) according to the manufacturer's instructions. As a positive control, 100 ng of unlabeled PCR product was spotted on a Hybond N+ membrane (GE Healthcare, Uppsala, Sweden), together with 1.5 μ g carrot RNA as a negative control and 1.5 μ g *D. africanus* mixed population RNA, both extracted with TRIzol (Invitrogen) according to the manufacturer's instructions. The membrane was baked at 80 °C for 2 h and prehybridized for 1 h at 65 °C in hybridization solution (5 $\times$ SSC, 5 $\times$ Denhardt's solution, 0.5% SDS, 100 μ g/ml salmon sperm DNA). After prehybridization, the hybridization buffer was replaced and the corresponding probe was added for hybridization overnight at 65 °C. Washing was done at hybridization temperature for 5 min in 2 $\times$ SSC with 0.1% SDS and 15 min in 2 $\times$ SSC. The blots were exposed to a Fujifilm Imaging Plate for 6 h and scanned with a FLA-5100 imaging system (Fujifilm, Düsseldorf, Germany).

2.6. In situ hybridization

A whole mount *in situ* hybridization was carried out according to Vanholme et al. [28] with minor modifications. Nematodes were fixed in 4% paraformaldehyde for 4 h at room temperature, 16 h at 4 °C, and again 4 h at room temperature. Permeabilization was performed by incubation in 0.5 mg/ml proteinase K (Merck, Whitehouse Station, NJ, USA) for 1 h 30 min at room temperature. Hybridization was done overnight at 47 °C. The templates for the production of DNA probes against unigenes with homology to expansin-like proteins (CL496) and venom allergen proteins (FE920532) were generated by a first PCR under standard conditions as described above on the plasmid pGEM-T containing the cDNA clone of the corresponding unigene. Subsequent linear PCRs using the first PCR products as templates with digoxigenin(DIG)-labeled oligonucleotides (Roche, Mannheim, Germany) and a single primer, generated single strand DNA probes (F-primers: sense probes; R-primers: antisense probes) (Table 1).

3. Results

3.1. Cleaning and cluster analysis

A total of 4847 ESTs were obtained from a cDNA library prepared from mixed stages of the plant-parasitic nematode *D. africanus*. Cleaning the EST sequences resulted in the removal of 602 ESTs, due to vector contamination, poly(A) tails and sequences shorter than 100 nucleotides. The average length of the 4245 retained ESTs was 286 bp. Clustering to reduce data redundancy resulted in 2456 ESTs forming 807 contigs (merged overlapping sequences) classified into 778 clusters (groups of contigs with minor sequence variation) and 1789 singletons, resulting in a total of 2596 unigenes. After clustering, the average length of a unigene increased to 335 bp and the average GC content is 38.9%. A graphical representation




Fig. 1. Cluster size distribution. The chart shows the number of clusters with a particular cluster size (the number of ESTs present in this cluster) in the EST dataset of *Ditylenchus africanus*.

of the cluster size distribution is shown in Fig. 1. The largest single cluster represents 84 ESTs, which is 2.0% of the total number of ESTs. Most of the clusters (88.0%) consist of 4 or less ESTs. The fragmentation or underclustering of the dataset was estimated at 3.5%, which means that the dataset represents approximately 2505 genes.

3.2. Transcript abundance and homology searches

The 20 most abundant unigenes in the EST dataset represent 9.6% of the total number of ESTs (Table 2). Eight of these unigenes, including cluster 1, showed no significant hit in any of the blast searches conducted ($E < 1e-3$). In Table 3 unigenes are shown which have homologs involved in anhydrobiosis, oxidative stress and parasitism. Classifying the unigenes based on species names of blastx homologous sequences revealed 298 animal specific sequences of which 160 unigenes were nematode specific. These nematode specific unigenes were classified according to their homologs in the blastx search and in the nematode EST database (Fig. 2). Most of these sequences have homologs in both free-living, animal-parasitic and plant-parasitic nematodes, suggesting a role in general nematode development and metabolism. Only one unigene (CL496) has homologous protein sequences exclusively

Table 2The 20 most prevalent unigenes in the *Ditylenchus africanus* EST dataset.

CL	ESTs	Top hit species and descriptor	Accession	E-value	db	%id	%GC
1	84	No hit (longest ORF: 159 bp)					32.9
2	74	<i>Meloidogyne incognita</i> major sperm protein homolog	BM880927	6.00e–79	EST	91.9	51.5
3	22	<i>Drosophila melanogaster</i> IP15837p	ABC86319	1.00e–07	Prot	54.2	39.4
4	21	<i>Pratylenchus vulnus</i> ferritin homolog	CV200280	4.00e–33	EST	53.8	45.1
5	20	<i>Ascaris suum</i> translation elongation factor homolog	CB014976	1.00e–141	EST	89.8	51.0
6	18	<i>Heligmosomoides polygyrus</i> tropomyosin homolog	EU131541	1.00e–100	Nuc	92.4	51.4
7	15	No hit (longest ORF: 996 bp)					36.5
8	14	<i>Meloidogyne chitwoodi</i> putative expansin-like protein homolog	CB831016	6.00e–16	EST	46.4	43.1
9	14	<i>Caenorhabditis elegans</i> D1086.9	NP_001023754	3.00e–05	Prot	34.1	35.7
10	14	<i>Zeldia punctata</i> fatty acid and retinol binding protein homolog	AW783768	4.00e–72	EST	76.3	46.4
11	13	<i>Pratylenchus penetrans</i> LEA5 protein homolog	BQ627245	1.00e–21	EST	55.4	47.8
12	13	<i>Anisakis simplex</i> hypothetical protein homolog	EH005299	6.00e–41	EST	38.4	42.4
13	12	<i>Globodera rostochiensis</i> hypothetical protein homolog	BM356077	1.00e–35	EST	49.2	43.1
14	12	No hit (longest ORF: 204 bp)					43.8
15	12	No hit (longest ORF: 114 bp)					53.5
16	11	No hit (longest ORF: 171 bp)					40.7
17	10	No hit (longest ORF: 72 bp)					41.9
18	10	No hit (longest ORF: 213 bp)					35.0
19	9	<i>A. suum</i> translationally controlled tumor protein homolog	CB039336	8.00e–85	EST	75.8	44.4
20	9	No hit (longest ORF: 204 bp)					39.2

From left to right: cluster number, number of ESTs the cluster contains, best blast hit description (either derived from blastx against the Protein division of GenBank with cut-off 1e–3, blastn against the Nucleotide division of GenBank with cut-off 1e–5 or tblastx against all nematode ESTs with cut-off 1e–3), accession number, blast E-value, database of the top blast hit (Protein, Nucleotide or EST), percentage protein identity and GC content.

from plant-parasitic nematodes, i.e. an expansin (top blastx hit: expansin-like protein BAG16537 from *B. xylophilus*, $E = 1e-20$). Unigenes with homologs to animal-parasitic nematodes exclusively (4) are all homologous to proteins with unknown function. Twelve unigenes are found in both animal- and plant-parasitic nematodes

exclusively, and include several allergen homologous sequences (Table 3) as well as sequences with unknown function. Remarkably, some unigenes had unexpected blastx homologs originating from prokaryotic sequences exclusively (15). Similarly, two unigenes matched fungal hypothetical proteins only: one (FE921742) with

Table 3

Some selected unigenes based on homology results.

Unigene	Top hit species and descriptor	Accession	E-value	db	%id
Anhydrobiosis					
CL23	<i>Aphelenchus avenae</i> LEA1	Q95V77	6.00e–23	Prot	48.4
CL11	<i>P. penetrans</i> LEA5 homolog	BQ627245	1.00e–21	EST	55.4
CL79	<i>P. vulnus</i> fatty acid desaturase (fat-6) homolog	EL890688	1.00e–83	EST	77.4
FE922042	<i>Haemonchus contortus</i> C-type lectin homolog	CB333334	6.00e–10	EST	35.3
FE921359	<i>C. elegans</i> C-type lectin (clec-53)	NP_491247	4.00e–04	Prot	28.2
CL475	<i>G. rostochiensis</i> stomatin (sto-5) homolog	EE268121	4.00e–51	EST	74.8
FE922269	<i>Aphelenchus avenae</i> trehalose 6-phosphate synthase homolog	AJ811572	1.00e–11	Nuc	75.6
Oxidative stress					
FE922062	<i>Wuchereria bancrofti</i> Cu/Zn-superoxide dismutase homolog	CK726411	7.00e–07	EST	54.8
FE925119	<i>Bursaphelenchus xylophilus</i> glutathione reductase homolog	CJ987986	3.00e–45	EST	75.9
CL450	<i>G. rostochiensis</i> glutathione-S-transferase homolog	BM344760	1.00e–18	EST	36.8
FE924154	<i>M. incognita</i> glutathione-S-transferase homolog	CK983784	4.00e–23	EST	42.4
CL500	<i>Dictyocaulus viviparus</i> peroxiredoxin homolog	EV850422	5.00e–28	EST	87.0
CL130	<i>Heterodera glycines</i> peroxiredoxin homolog	CA940959	4.00e–98	EST	75.4
CL452	<i>Ancylostoma caninum</i> superoxide dismutase	EX542471	6.00e–13	EST	61.4
CL226	<i>Chlamydomonas reinhardtii</i> superoxide dismutase	XM_001699025	1.00e–21	Nuc	83.3
CL21	<i>H. contortus</i> superoxide dismutase	CB018828	8.00e–41	EST	74.7
Allergens					
CL752	<i>Toxascaris leonina</i> ABA-1 allergen homolog	ES880608	6.00e–10	EST	54.0
FE923927	<i>Meloidogyne paranaensis</i> polyprotein allergen homolog	CN477518	5.00e–11	EST	42.9
CL43	<i>Globodera pallida</i> major allergen homolog	BM415278	3.00e–33	EST	52.6
FE923357	<i>Heterodera glycines</i> vap-1	AAK60209	5.00e–23	Prot	61.7
Putative parasitism genes					
CL10	<i>Z. punctata</i> SEC-2 protein homolog	AW783768	4.00e–72	EST	76.3
FE922606	<i>P. vulnus</i> transthyretin-like protein homolog	EL889277	2.00e–20	EST	64.9
CL678	<i>G. rostochiensis</i> transthyretin-like protein homolog	BM355233	5.00e–10	EST	80.0
CL536	<i>M. chitwoodi</i> transthyretin-like protein homolog	CD682816	5.00e–52	EST	72.6
CL112	<i>M. chitwoodi</i> transthyretin-like protein homolog	CF801754	6.00e–10	EST	48.3
CL665	<i>H. contortus</i> calreticulin homolog	AI723603	2.00e–69	EST	86.4
CL573	<i>Strongyloides ratti</i> 14-3-3b protein homolog	FC819840	1.00e–70	EST	57.5
CL301	<i>G. rostochiensis</i> 14-3-3b protein homolog	EE267463	1.00e–103	EST	95.8
CL8	<i>M. chitwoodi</i> putative expansin-like protein homolog	CB831016	6.00e–16	EST	46.4
CL496	<i>B. xylophilus</i> expansin-like protein homolog	CJ981766	4.00e–26	EST	57.5

From left to right: best blast hit description (either derived from blastx with cut-off 1e–3, blastn with cut-off 1e–5 or tblastx against all nematode ESTs with cut-off 1e–3), accession number, blast E-value, database of the top blast hit (Protein, Nucleotide or EST) and percentage protein identity.




Fig. 2. Classification of the 160 nematode specific unigenes with blastx homology ($E < 1e-3$) into animal-parasitic (APN), plant-parasitic (PPN) and free-living (FLN) nematodes based on nematode EST homology. The number of unigenes in each class is given, including the percentage of the total nematode specific genes.

hits from *Coprinopsis cinerea* ($E = 3e-04$) and the other (FE922861) with hits from fungal plant pathogens (*Gibberella* sp., *Sclerotinia* sp. and *Botryotinia* sp.; $E = 4e-14$). Searching the genomes of *M. incognita* and *M. hapla* revealed a tblastx homolog for respectively 30.6 and 35.4% of the unigenes ($E < 1e-3$). Thirty unigenes of putative mitochondrial origin were retrieved corresponding to 40 ESTs or 0.94% of the total dataset. The GC content of the putative mitochondrial unigenes is 34.5%, which is lower than the overall GC content of 38.9% (Fig. 3).

For 1113 unigenes (42.9%), no homologous sequences could be found in either protein, nucleotide or nematode EST databases or in the genomes of *M. incognita* and *M. hapla* ($E < 1e-3$). These sequences had a shorter average sequence length (260 bp) compared to unigenes with homologs (391 bp) (Fig. 3), which is the most obvious reason why no homology is found. These unigenes of unknown origin could correspond either to non-coding sequences (e.g. UTRs), regulatory and structural RNA or to novel protein coding genes.

3.3. Gene ontology

To have a general overview of the functions of the unigenes, GO terms were assigned to the unigenes with BLAST2GO. Of the 931 unigenes for which BLAST2GO could identify at least one blast hit, 801 were annotated with at least one GO term. The number of GO terms per unigene varied from 1 to 53. In total, 2648 different GO terms were retrieved: 1658 of biological process, 653 of molecular function and 337 of cellular component (Fig. 4). In the molecular function category the majority of the putative proteins are involved in protein binding (43.7%) whereas other GO terms occur between

5.8% (hydrolase activity) and 10.9% (structural constituent of ribosome). For the biological process category, 23.0% of the terms are involved in embryonic development and 17.9% in larval development. The most prevalent cellular component terms are protein complex (25.1%), integral to membrane (16.7%) and mitochondrion (13.6%).

3.4. Translation into putative proteins

Unigenes were translated into putative protein sequences on the basis of the blastx output or based on the longest ORF in case of no blastx homology. For 1769 unigenes a putative ORF of minimum 40 AA was found, while 827 were predicted to be non-coding by OrfPredictor. Overall GC contents of the coding sequences is 41.4%, while GC1, GC2 and GC3 are 50.8, 38.5 and 48.5%, respectively. The overall GC content of putative non-coding sequences is 33.6% (Fig. 3). A signal peptide for secretion was found in 101 of the 1769 putative proteins (5.7%). Of these, 90 had no trans-membrane domain (5.1%). These are possibly being secreted by the nematode and hence could play a role in parasitism. Only 13 showed similarity to known, mostly hypothetical, proteins (blastp search; $E < 1e-3$). The majority (72) of these 90 putative secreted proteins did not show any similarity to other known nematode ESTs (tblastn search; $E < 1e-3$). Only seven candidate parasitism genes were retained which had homology restricted to parasitic nematode ESTs (Table 4).

3.5. RNAi phenotypes

RNAi phenotypes were assigned to the unigenes by homology with *C. elegans* proteins. 965 unigenes had a *C. elegans* homolog (blastx search; $E < 1e-3$). After removing redundant protein hits, 815 different *C. elegans* proteins were retained. For 473 or 58.0% of the total number of unigenes with a *C. elegans* homolog, an RNAi phenotype was retrieved from the Wormmart database. The majority (333) of these proteins have a lethal phenotype (WBPhenotype0000050, WBPhenotype0000054, or WBPhenotype0000062). GO terms for these *C. elegans* proteins were retrieved and the terms of the second level of the “biological process” category are shown in Fig. 5. All of them have the GO terms “developmental process” and “multicellular organismal process”, suggesting that the corresponding genes are involved in the general development of the organism. Other GO terms that occur in the majority of these genes are “reproduction”, “metabolic process”, “cellular process”, “growth” and “biological regulation”. Three hundred and sixty-six unigenes (14.1% of the total number of unigenes) correspond to *C. elegans* genes with lethal phenotype. A subset of these unigenes




Fig. 3. Density plots of the GC content and length of different subsets of unigenes.




Fig. 4. Representation of gene ontology (GO) mappings for all unigenes as calculated by BLAST2GO. Different pie charts are given for the terms molecular function, biological process and cellular component with a node score cut-off of 25, 50 and 12, respectively.

(34) are promising future candidates for parasitic control due to their nematode specific nature.

3.6. Dot blot analysis

To find out whether the largest clusters without any homology were really present in the mRNA pool, a dot blot analysis was carried out. Correct fragments were obtained by PCR on the cDNA library for both CL1 and CL7. The dot blot analysis showed a clear signal for both fragments against RNA extracted from *D. africanus* nematodes, while no signal was obtained against carrot RNA (Fig. 6). This shows that these clusters are not artifacts or contaminants from the cDNA library since they are also present in independently isolated nematode RNA.

Some sequences showed similarity to prokaryotic or fungal sequences exclusively in a blastx search, for example CL270, CL371, CL406, FE921742 and FE922861. To check if these sequences are derived from contamination, a similar dot blot analysis was done. For three of the five selected sequences (CL406, FE921742 and FE922861), the corresponding fragment could not be amplified from the cDNA library. This most likely means that these sequences are not present in the cDNA library, and are probably the result of contamination. For CL270 and CL406, the correct fragment could be cloned, however in a dot blot, no signal was obtained neither for nematode nor carrot RNA (Fig. 6). This suggests that CL270 and CL406 are from contaminating origin, although it cannot be ruled out that the detection limit of the dot blot is too low to detect the corresponding mRNA.

Table 4
Novel candidate parasitism genes.

Unigene	EST hits	Top hit species	Accession	E-value	%id	AA	SP	Start M?
CL454	PN	<i>H. contortus</i>	CB012354	2.00e−09	35.8	173	17	Yes
CL578	APN	<i>Brugia malayi</i>	BE758361	4.00e−04	36.2	84	22	Yes
FE922893	APN	<i>A. suum</i>	CB014479	6.00e−06	51.2	43	18	Yes
FE925095	PN	<i>A. suum</i>	CB014479	3.00e−06	48.8	72	18	No
FE925011	PN	<i>M. incognita</i>	BQ519557	1.00e−07	62.3	71	24	Yes
FE924589	PPN	<i>Heterodera glycines</i>	CB299361	6.00e−07	37.7	139	16	Yes
FE922853	PPN	<i>B. xylophilus</i>	CJ981856	2.00e−04	40.0	108	23	Yes

Putative proteins of these unigenes have a predicted signal peptide and tblastn searches against nematode ESTs ($E < 1e-4$) reveal hits with parasitic nematodes only (PPN: EST hits in plant-parasitic nematodes only; APN: EST hits in animal-parasitic nematodes only; PN: EST hits in both animal- and plant-parasitic nematodes). The top hit species, accession number, blast E-value, percentage protein identity, the number of amino acids, the length of the putative signal peptide (SP) and the presence of a start methionine are given.




Fig. 5. Graphical representation of the occurrence of GO terms of biological process (level 2) among the *Caenorhabditis elegans* homologs of *D. africanus* unigenes with a lethal RNAi phenotype.

3.7. In situ hybridization

An *in situ* hybridization with probes against CL496 (putative expansin-like protein) and FE920532 (putative venom allergen protein) was carried out. Both probes showed staining in the gland cell area of the nematode, while the corresponding sense probes showed no staining (Fig. 7). Whether the expression was located in the subventral or dorsal gland cells could not be determined. These results suggest that both proteins are possibly being secreted by the nematode and hence could play a role in parasitism.

4. Discussion

An increasing amount of sequence information derived from plant-parasitic nematodes is becoming available through EST




Fig. 6. Dot blot analysis with probes against the selected unigenes CL1, CL7, CL270 and CL406. (+) PCR fragment of the corresponding probe; (–) carrot RNA; (Da) RNA isolated from mixed stages of *D. africanus*.




Fig. 7. *In situ* hybridization on *D. africanus*. (a) CL496 (expansin-like protein) anti-sense probe; (b) FE920532 (venom allergen protein) antisense probe; (c) CL496 sense probe (negative control). Scale bars: 15 μ m.

projects, especially from sedentary nematodes from the superfamily Tylenchoidea within the order of the Rhabditida. In contrast, *D. africanus* is a migratory endoparasite belonging to the family of the Anguinidae, superfamily Sphaerularioidea. This family comprises important seed and stem nematodes such as *Anguina tritici* and *D. dipsaci*. This study is the first molecular survey of a nematode in this family, *D. africanus*, by means of a small scale EST analysis. Only 57% of the clustered unigenes showed homology to known proteins, nematode ESTs and the genomes of the plant-parasitic nematodes *M. incognita* and *M. hapla*. This means that at least 43% of all unigenes did not have any homology to either all known proteins, nucleotide sequences, nematode ESTs or the *Meloidogyne* genomes. The amount of unigenes without homology is unusually high, as compared to for example *B. xylophilus* (27% unigenes without homology) [13], a nematode which is phylogenetically further removed from the heavily sampled cyst and root-knot nematodes than *D. africanus*. The most obvious reason for this high amount of orphan sequences is the relatively short average length of the inserts of the cDNA library. The shorter the insert, the less likely it is to find a significant homolog. Moreover, the length distribution of unigenes with homology is similar to unigenes which are predicted to be coding. Other sequences without homology are shorter in length and could be either non-coding regions, regulatory or structural RNAs or pioneer sequences. The sequences predicted to be non-coding have a lower average GC content (34%) compared to coding sequences (41%). In *C. elegans*, the GC content of coding sequences is around 45%, while it is only 34% in intergenic regions [29]. These similar numbers suggest that a large portion of the *D. africanus* non-coding sequences are 5' or 3' UTRs. On the other hand, since we are dealing with the first sequences from a representative of the Anguinidae family, it is to be expected that there are a number of species or family specific unigenes without any homology in currently available sequence databases. Interestingly, a considerable number of these unknown unigenes seems to be highly expressed. Eight of the 20 most abundant clusters including the most abundant cluster (CL1) have no homologs at all. A dot blot for two of these unknown, highly expressed unigenes confirmed that these are truly present in the nematode mRNA pool. A high fraction of the largest clusters lacking homology has also been observed in other nematode EST datasets, and these ESTs are thought to be of mitochondrial origin [15,30]. Other highly expressed genes represented by a large number of ESTs are for example major sperm protein (important in the motility of sperm), ferritin (iron-storage protein), tropomyosin (an actin-filament regulator) and *sec-2* or *far* (fatty acid and retinol binding protein, previously hypothesized to be involved in defense; [31]). The latter two have been reported earlier as highly abundant

transcripts in ESTs [1,13,15,32]. Gene ontology mapping revealed that most unigenes are involved in the biological processes of reproduction and development. This is not surprising, since *D. africanus* has a short life cycle of only 6–7 days and has a high reproductive rate.

Interestingly, nematode specific unigenes predominantly had EST homologs from animal-parasitic species (95%), while 79% also had homologs in plant-parasitic nematodes. This apparent closer relationship to animal-parasitic nematodes can be due to the fact that there is more sequence information available for animal-parasitic compared to plant-parasitic nematodes (24,575 vs. 1227 proteins and 294,843 vs. 143,883 ESTs). Only one unigene (CL496) had homologs within plant-parasitic nematodes exclusively (an expansin identified in *B. xylophilus*). In addition, CL8 shows the highest similarity to an EST from *Meloidogyne chitwoodi* with homology to expansins. Although plant-parasitic nematodes are known to secrete an arsenal of different cell wall modifying enzymes [33], unigenes similar to expansin genes were the only ones found in the EST dataset. The expression of CL496 was demonstrated to be in the gland cell region of the nematode, pointing towards the secretion of the protein. The relatively low occurrence of cell wall modifying enzymes in EST datasets was previously also observed for the migratory nematodes *R. similis* [15] and *P. penetrans* [14]. This observation suggests that cell wall modifying enzymes only form a very small part of the transcriptome. Some unigenes showed similarity to putative parasitism genes such as *sec-2* [31], calreticulin [34] and 14-3-3b protein [35]. However all of these enzymes should be more thoroughly investigated in order to find out their true role in parasitism. For example, calreticulin and 14-3-3b protein have been linked to the formation of a feeding site by sedentary nematodes, but non-secreted homologs of these proteins are also involved in the general metabolism of the nematode [34]. The unigenes were searched for new putative parasitism genes which should code for proteins equipped with a signal peptide. In addition, the best candidates should only have homologs in parasitic nematode ESTs. Although this approach rules out the finding of species or family specific parasitism genes, since it is dependent on available nematode EST data, this condition was included to reduce the number of false positives. Seven promising novel candidate parasitism genes were found (Table 4). These genes are interesting for future functional studies and could reveal new insights about plant parasitism.

Several nematode parasitism genes have been proposed to originate through horizontal gene transfer (HGT) [36]. New HGT candidates should have homology with prokaryotes or fungi exclusively, although prokaryotic sequences could also point to contamination or the presence of an endosymbiont [15]. Several unigenes identified in our EST dataset showed similarity to prokaryotes exclusively, but most of these unigenes show homology to widely occurring non-endosymbiotic and non-pathogenic species, suggesting some bacterial contamination. For other unigenes resembling prokaryotic and fungal sequences, it could not be demonstrated that these were present in independently isolated RNA of the nematode, hence these are probably of contaminating origin as well.

Our EST dataset contains several genes that are predicted to be involved in anhydrobiosis, a dehydrated state of the nematode. One of these genes is a LEA (late embryogenesis abundant protein) homolog, proteins found to be highly expressed in the anhydrobiotic nematodes *Aphelenchus avenae* and *Steinernema carpocapsae*, as well as in plants where they prevent protein aggregation during seed desiccation [37,38]. In addition, fatty acid desaturase, stomatin and trehalose-6-phosphate synthase were found, mainly involved in maintaining the integrity of the cell membrane [38]. Other unigenes commonly upregulated in anhydrobiotic stages are involved in oxidative stress, such as superoxide dismutase, glutathione-

S-transferase and peroxiredoxin. These enzymes and also LEA proteins are represented by a quite large number of ESTs, which indicates that oxidative stress as well as drought stress are important factors affecting the nematode. In agreement with this finding, as much as 8% of the GO mappings in the “molecular function” category (node score > 25), are associated with oxidoreductase activity.

Another group of unigenes showed remarkable similarities to polypeptide allergens from animal-parasitic nematodes and the venom allergen protein (VAP) of *Heterodera glycines*. Gao et al. [39] found that the latter is expressed in the gland cells, which was confirmed for a vap homolog in *D. africanus* by *in situ* hybridization. In *M. incognita* it was shown that a venom allergen AG5-like protein is expressed during preparasitic and parasitic J2 stages exclusively [40]. Animal-parasitic allergen genes have been associated with the immune response of the host animal [41]. However, their presence in plant-parasitic nematodes suggests a more general role for these proteins in parasitism.

The RNAi gene knockout technique has shown promising results in sedentary plant-parasitic nematodes [42]. Transcript levels of a certain gene can be reduced when dsRNA homologous to that gene is fed to the nematode. Interesting RNAi targets for experiments with *D. africanus* were identified by looking for *C. elegans* homologs with lethal RNAi phenotypes. Retained unigenes were all involved in major biological processes (development, metabolic processes, reproduction) as revealed by the Gene Ontology terms of their *C. elegans* homologs. Most of these unigenes have homologs both in free-living and animal-parasitic nematodes, due to the limited genomic data available for plant-parasitic nematodes. Unigenes showing homology to nematodes exclusively (34) are interesting targets for control measures since these are very unlikely to have off-target effects on other organisms. Future experiments will have to prove the efficacy of these candidate RNAi targets and whether or not RNAi has similar effects in migratory nematodes as in sedentary nematodes, although the technique was shown to be effective in the migratory nematode *R. similis* [43].

In conclusion, these EST data from *D. africanus* are the first molecular data from a nematode from the Sphaerularioidae. Although the dataset suffered from the short insert length, it may still provide useful information about biological processes such as parasitism or anhydrobiosis. Furthermore, the data contribute to the ESTs from migratory nematodes, interesting for comparative analyses. Nevertheless, in the future, better quality sequences should be generated by either ESTs or next generation sequencing.

Acknowledgments

The authors would like to thank Prof. A. McDonald and Dr. H. Fourie (ARC-GCI, Potchefstroom, South Africa) for kindly providing the initial *D. africanus* culture. This research was supported by a grant from Ghent University (GOA 01G00805), a grant to AH from the Institute for the Promotion of Innovation through Science and Technology in Flanders (IWT-Vlaanderen) and a grant to JJ from Ghent University (BOF). BV and TK are postdoctoral researchers at Ghent University (BOF). Work at Washington University School of Medicine was supported by NIH research grant AI 46593 to MM.

Appendix A. Supplementary data

Supplementary data associated with this article can be found, in the online version, at doi:10.1016/j.molbiopara.2009.04.004.

References

- [1] McCarter JP, Mitreva MD, Martin J, Dante M, Wylie T, Rao U, et al. Analysis and functional classification of transcripts from the nematode *Meloidogyne incognita*. *Genome Biol* 2003;4:R26.

- [2] Munoz ET, Bogarad LD, Deem MW. Microarray and EST database estimates of mRNA expression levels differ: the protein length versus expression curve for *C. elegans*. *BMC Genomics* 2004;5:30.
- [3] Picault-Newberg L, Ideker TE, Pohl MG, Taylor SL, Donaldson MA, Nickerson DA, et al. Mining SNPs from EST databases. *Genome Res* 1999;9:167–74.
- [4] Bailey LC, Searls DB, Overton GC. Analysis of EST-driven gene annotation in human genomic sequence. *Genome Res* 1998;8:362–76.
- [5] de Boer JM, McDermott JP, Davis EL, Hussey RS, Popeijus H, Smant G, et al. Cloning of a putative pectate lyase gene expressed in the subventral esophageal glands of *Heterodera glycines*. *J Nematol* 2002;34:9–11.
- [6] Mitreva-Dautova M, Roze E, Overmars H, de Graaff L, Schots A, Helder J, et al. A symbiont-independent endo-1,4-beta-xylanase from the plant-parasitic nematode *Meloidogyne incognita*. *Mol Plant Microbe Interact* 2006;19:521–9.
- [7] De Waele D, Jones BL, Bolton C, van den Berg E. *Ditylenchus destructor* in hulls and seeds of peanut. *J Nematol* 1989;21:10–5.
- [8] De Waele D, Venter C, McDonald AH. The peanut pod nematode, *Ditylenchus africanus*. *Nematol Circ* 1997;218:1–6.
- [9] Wendt KR, Swart A, Vrain TC, Webster JM. *Ditylenchus africanus* sp-N from South-Africa—a morphological and molecular characterization. *Fund Appl Nematol* 1995;18:241–50.
- [10] De Ley P, Blaxter M. Systematic position and phylogeny. In: Lee DL, editor. *The Biology of Nematodes*. London: Taylor & Francis; 2002. p. 1–30.
- [11] Duncan LW, Moens M. Migratory endoparasitic nematodes. In: Perry RN, Moens M, editors. *Plant Nematology*. Oxfordshire: CABI Publishing; 2006. p. 123–52.
- [12] McDonald AH, Loots GC, Fourie H, De Waele D. A microplot study on *Ditylenchus africanus* population densities and damage symptoms on groundnut in relation to commercial yields. *Nematology* 2005;7:647–53.
- [13] Kikuchi T, Aikawa T, Kosaka H, Pritchard L, Ogura N, Jones JT. Expressed sequence tag (EST) analysis of the pine wood nematode *Bursaphelenchus xylophilus* and *B. mucronatus*. *Mol Biochem Parasit* 2007;155:9–17.
- [14] Mitreva M, Elling AA, Dante M, Kloek AP, Kalyanaraman A, Aluru S, et al. A survey of SL1-spliced transcripts from the root-lesion nematode *Pratylenchus penetrans*. *Mol Genet Genomics* 2004;272:138–48.
- [15] Jacob J, Mitreva M, Vanholme B, Gheysen G. Exploring the transcriptome of the burrowing nematode *Radopholus similis*. *Mol Genet Genomics* 2008;280:1–17.
- [16] Furlanetto C, Cardle L, Brown DJF, Jones JT. Analysis of expressed sequence tags from the ectoparasitic nematode *Xiphinema index*. *Nematology* 2005;7:95–104.
- [17] Perteza G, Huang XQ, Liang F, Antonescu V, Sultana R, Karamycheva S, et al. TIGR Gene Indices Clustering Tools (TGICL): a software system for fast clustering of large EST datasets. *Bioinformatics* 2003;19:651–2.
- [18] Huang XQ, Madan A. CAP3: a DNA sequence assembly program. *Genome Res* 1999;9:868–77.
- [19] Wang JPZ, Lindsay BG, Cui LY, Wall PK, Marion J, Zhang JX, et al. Gene capture prediction and overlap estimation in EST sequencing from one or multiple libraries. *BMC Bioinform* 2005;6:300.
- [20] Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ. Basic Local Alignment Search Tool. *J Mol Biol* 1990;215:403–10.
- [21] Abad P, Gouzy J, Aury JM, Castagnone-Sereno P, Danchi EGJ, Deleury E, et al. Genome sequence of the metazoan plant-parasitic nematode *Meloidogyne incognita*. *Nat Biotechnol* 2008;26:909–15.
- [22] Opperman CH, Bird DM, Williamson VM, Rokhsar DS, Burke M, Cohn J, et al. Sequence and genetic map of *Meloidogyne hapla*: a compact nematode genome for plant parasitism. *Proc Natl Acad Sci USA* 2008;105:14802–7.
- [23] Rogers A, Antoshechkin I, Bieri T, Blasiar D, Bastiani C, Canaran P, et al., Worm-Base 2007. *Nucl Acids Res* 2008;36:D612–7.
- [24] Ye J, Fang L, Zheng H, Zhang Y, Chen J, Zhang Z, et al. WEGO: a web tool for plotting GO annotations. *Nucl Acids Res* 2006;34:W293–7.
- [25] Conesa A, Gotz S, Garcia-Gomez JM, Terol J, Talon M, Robles M. Blast2GO: a universal tool for annotation, visualization and analysis in functional genomics research. *Bioinformatics* 2005;21:3674–6.
- [26] Min XJ, Butler G, Storms R, Tsang A. OrfPredictor: predicting protein-coding regions in EST-derived sequences. *Nucl Acids Res* 2005;33:W677–80.
- [27] Bendtsen JD, Nielsen H, von Heijne G, Brunak S. Improved prediction of signal peptides: SignalP 3.0. *J Mol Biol* 2004;340:783–95.
- [28] Vanholme B, De Meutter J, Tytgat T, Gheysen GDC, Vanhoutte I, Gheysen GDR. An improved method for whole-mount *in situ* hybridization of *Heterodera schachtii* juveniles. *Parasitol Res* 2002;88:731–3.
- [29] Shin H, Hirst M, Bainbridge MN, Magrini V, Mardis E, Moerman DG, et al. Transcriptome analysis for *Caenorhabditis elegans* based on novel expressed sequence tags. *BMC Biol* 2008:6.
- [30] Dubreuil G, Magliano M, Deleury E, Abad P, Rosso MN. Transcriptome analysis of root-knot nematode functions induced in the early stages of parasitism. *New Phytol* 2007;176:426–36.
- [31] Prior A, Jones JT, Blok VC, Beauchamp J, McDermott L, Cooper A, et al. A surface-associated retinol- and fatty acid-binding protein (Gp-FAR-1) from the potato cyst nematode *Globodera pallida*: lipid binding activities, structural analysis and expression pattern. *Biochem J* 2001;356:387–94.
- [32] Vanholme B, Mitreva M, Van Crieke W, Logghe M, Bird D, McCarter JP, et al. Detection of putative secreted proteins in the plant-parasitic nematode *Heterodera schachtii*. *Parasitol Res* 2006;98:414–24.
- [33] Vanholme B, De Meutter J, Tytgat T, Van Montagu M, Coomans A, Gheysen G. Secretions of plant-parasitic nematodes: a molecular update. *Gene* 2004;332:13–27.
- [34] Jaubert S, Milac AL, Petrescu AJ, de Almada-Engler J, Abad P, Rosso MN. In planta secretion of a calreticulin by migratory and sedentary stages of root-knot nematode. *Mol Plant Microbe Interact* 2005;18:1277–84.
- [35] Jaubert S, Laffaire JB, Ledger TN, Escoubas P, Amri EZ, Abad P, et al. Comparative analysis of two 14-3-3 homologues and their expression pattern in the root-knot nematode *Meloidogyne incognita*. *Int J Parasitol* 2004;34:873–80.
- [36] Jones JT, Furlanetto C, Kikuchi T. Horizontal gene transfer from bacteria and fungi as a driving force in the evolution of plant parasitism in nematodes. *Nematology* 2005;7:641–6.
- [37] Browne J, Tunnacliffe A, Burnell A. Anhydrobiosis—plant desiccation gene found in a nematode. *Nature* 2002;416:38.
- [38] Tyson T, Reardon W, Browne JA, Burnell AM. Gene induction by desiccation stress in the entomopathogenic nematode *Steinernema carpocapsae* reveals parallels with drought tolerance mechanisms in plants. *Int J Parasitol* 2007;37:763–76.
- [39] Gao B, Allen R, Maier T, Davis EL, Baum TJ, Hussey RS. Molecular characterisation and expression of two venom allergen-like protein genes in *Heterodera glycines*. *Int J Parasitol* 2001;31:1617–25.
- [40] Ding X, Shields J, Allen R, Hussey RS. Molecular cloning and characterisation of a venom allergen AG5-like cDNA from *Meloidogyne incognita*. *Int J Parasitol* 2000;30:77–81.
- [41] Murray J, Gregory WF, Gomez-Escobar N, Atmadja AK, Maizels RM. Expression and immune recognition of *Brugia malayi* VAL-1, a homologue of vespid venom allergens and *Ancylostoma* secreted proteins. *Mol Biochem Parasit* 2001;118:89–96.
- [42] Lilley CJ, Bakhetia M, Charlton WL, Urwin PE. Recent progress in the development of RNA interference for plant parasitic nematodes. *Mol Plant Pathol* 2007;8:701–11.
- [43] Haegeman A, Vanholme B, Gheysen G. Characterization of a putative endoxylanase in the migratory plant-parasitic nematode *Radopholus similis*. *Mol Plant Pathol* 2009;10:389–401.

>CL1

FE920569	FE920912	FE920925	FE920950	FE920960	FE920969	FE921544
FE921584	FE921252	FE921287	FE920378	FE920637	FE920647	
FE920695	FE920723	FE921060	FE921943	FE921351	FE921417	
FE920726	FE920732	FE921090	FE921504	FE921722	FE920851	
FE921741	FE921750	FE921189	FE921218	FE925101	FE924591	
FE924598	FE924604	FE924629	FE925147	FE923469	FE923494	
FE922064	FE922910	FE922973	FE922990	FE924335	FE924383	
FE924955	FE924990	FE923808	FE924668	FE924690	FE924691	
FE924073	FE924094	FE924108	FE924129	FE923287	FE923053	
FE923082	FE922520	FE922541	FE922542	FE924738	FE924796	
FE923631	FE924190	FE924198	FE924223	FE923119	FE923120	
FE922243	FE923390	FE923136	FE923142	FE923161	FE922285	
FE925029	FE922848	FE922880	FE921983	FE924520	FE922009	
FE924257	FE924299	FE923974	FE923702	FE923767		

>CL2

FE920595	FE920606	FE921812	FE921828	FE920359	FE920656	FE920392
FE920436	FE920441	FE920456	FE921914	FE921915	FE921638	
FE920760	FE921648	FE920790	FE921689	FE921690	FE921161	
FE921972	FE920490	FE920520	FE921463	FE920819	FE920831	
FE921740	FE921775	FE923461	FE923218	FE923219	FE923248	
FE922667	FE922680	FE922710	FE922721	FE922725	FE922911	
FE924357	FE924961	FE924664	FE923830	FE924673	FE923838	
FE924096	FE924100	FE924117	FE923562	FE923305	FE923565	
FE922998	FE923007	FE923027	FE923037	FE924428	FE922529	
FE922539	FE922546	FE922802	FE923634	FE924186	FE922224	
FE923116	FE922250	FE922268	FE923174	FE925015	FE921978	
FE924552	FE924843	FE924236	FE924304	FE922322	FE922336	
FE922340						

>CL3

FE921578	FE921331	FE921038	FE921622	FE920735	FE920767	FE921652
FE920801	FE921684	FE920832	FE924618	FE923524	FE922695	
FE923823	FE923835	FE923857	FE922209	FE924763	FE923964	
FE922261	FE924548	FE922371				

>CL4

FE921311	FE921337	FE920692	FE921027	FE921657	FE921673	FE921482
FE920845	FE920875	FE923208	FE923506	FE924714	FE923018	
FE923064	FE924729	FE925012	FE925031	FE924018	FE924034	
FE922350	FE923785					

>CL5

FE921553	FE924626	FE924635	FE923206	FE922044	FE924348	FE924912
FE923849	FE923574	FE923317	FE922516	FE922524	FE924475	
FE924167	FE923692	FE922280	FE925026	FE922852	FE924030	
FE923713						

>CL6

FE920945	FE921276	FE921922	FE920538	FE920890	FE921193	FE925111
FE923454	FE923483	FE922716	FE924642	FE922154	FE923046	
FE924214	FE923146	FE922849	FE925055	FE922306		

>CL7

FE920644 FE920418 FE921893 FE921964 FE920510 FE921763 FE922060
 FE924314 FE924384 FE924667 FE923622 FE922863 FE924868
 FE924230 FE922366
>CL8
FE921606 FE920383 FE920775 FE921768 FE925102 FE923444 FE922067
 FE924932 FE923858 FE923869 FE922163 FE923643 FE923148
 FE924845
>CL9
FE920931 FE920949 FE921838 FE921278 FE920356 FE920397 FE920437
 FE921748 FE921758 FE921190 FE922717 FE922113 FE924688
 FE925080
>CL10
FE920562 FE921801 FE921062 FE921371 FE920481 FE922908 FE924719
 FE923023 FE923056 FE922473 FE924749 FE924196 FE924308
 FE923775
>CL11
FE921562 FE920737 FE922968 FE924337 FE922471 FE923794 FE922759
 FE924471 FE923399 FE923426 FE922837 FE922890 FE924019
>CL12
FE920973 FE921529 FE921240 FE923449 FE922916 FE924352 FE923814
 FE923826 FE923840 FE922202 FE924165 FE923400 FE922862
>CL13
FE921291 FE920991 FE921621 FE920774 FE923194 FE922467 FE922511
 FE922535 FE924787 FE923101 FE923995 FE924033
>CL14
FE920393 FE921869 FE921645 FE920782 FE920529 FE921733 FE924916
 FE922193 FE923629 FE923118 FE922866 FE924883
>CL15
FE921549 FE920678 FE921878 FE920740 FE920771 FE920504 FE921474
 FE924405 FE922159 FE924457 FE922799 FE924010
>CL16
FE921536 FE920748 FE921524 FE924349 FE924940 FE924706 FE924755
 FE923365 FE923113 FE925053 FE924539
>CL17
FE921599 FE921338 FE920652 FE921047 FE920772 FE921522 FE923182
 FE923795 FE924723 FE924004
>CL18
FE921539 FE920688 FE920724 FE921887 FE920515 FE921516 FE922729
 FE923062 FE923653 FE922874
>CL19
FE921325 FE921078 FE925163 FE923821 FE924420 FE923907 FE923935
 FE925042 FE922030
>CL20
FE920987 FE921377 FE921085 FE924580 FE924637 FE922743 FE923913
 FE923395 FE924870
>CL21
FE920680 FE921487 FE924350 FE924136 FE924746 FE923628 FE923878
 FE923355 FE922825
>CL22
FE920965 FE921404 FE921138 FE921224 FE924370 FE922423 FE922741
 FE924854

>CL23						
FE920585	FE921022	FE921944	FE921343	FE924632	FE923587	FE924302
FE922341						
>CL24						
FE921347	FE924636	FE922683	FE924327	FE922123	FE923600	FE922588
FE922603						
>CL25						
FE921054	FE921349	FE921679	FE920856	FE922727	FE922086	FE923680
FE924905						
>CL26						
FE921605	FE920682	FE920795	FE921513	FE923235	FE922110	FE925030
FE924535						
>CL27						
FE921835	FE921419	FE921079	FE920473	FE923845	FE924082	FE924418
FE925009						
>CL28						
FE920661	FE921479	FE923525	FE922411	FE923843	FE922501	FE924516
FE924285						
>CL29						
FE920671	FE921483	FE922978	FE923013	FE923645	FE922216	FE923154
FE923771						
>CL30						
FE920658	FE921019	FE921358	FE921480	FE922673	FE922551	FE922552
FE923374						
>CL31						
FE920624	FE921563	FE920729	FE925139	FE922933	FE923555	FE922575
FE921979						
>CL32						
FE920622	FE923227	FE924946	FE924979	FE922143	FE923147	FE924500
FE921989						
>CL33						
FE920970	FE921070	FE921365	FE920521	FE921227	FE924086	FE923165
>CL34						
FE921543	FE921289	FE921306	FE921017	FE921033	FE924709	FE924502
>CL35						
FE921705	FE920828	FE922105	FE924150	FE925025	FE922582	FE924235
>CL36						
FE921891	FE921631	FE920783	FE920508	FE924569	FE922142	FE924856
>CL37						
FE921550	FE920741	FE921124	FE921447	FE922454	FE922151	FE922489
>CL38						
FE920687	FE920700	FE921498	FE921519	FE924175	FE925069	FE924899
>CL39						
FE921794	FE920369	FE921328	FE922952	FE925082	FE922556	FE924523

>CL40					
FE923181	FE922401	FE924068	FE923059	FE924807	FE922845
>CL41					
FE921526	FE920736	FE923474	FE923489	FE923069	FE922601
>CL42					
FE921829	FE920447	FE923471	FE924981	FE924886	FE923779
>CL43					
FE920657	FE921489	FE924316	FE922809	FE922835	FE923731
>CL44					
FE920929	FE921535	FE921201	FE924601	FE923801	FE923900
>CL45					
FE921591	FE920806	FE922076	FE922822	FE922644	FE922304
>CL46					
FE920571	FE920927	FE921936	FE921171	FE923505	FE923717
>CL47					
FE921908	FE920525	FE924633	FE924669	FE924812	FE922634
>CL48					
FE920679	FE921382	FE921093	FE921450	FE922532	FE922859
>CL49					
FE921824	FE920479	FE922419	FE922198	FE922206	FE923915
>CL50					
FE921402	FE921151	FE921713	FE920866	FE922169	FE923609
>CL51					
FE925114	FE924640	FE924390	FE924163	FE923135	FE924538
>CL52					
FE921545	FE921548	FE921425	FE920727	FE921115	FE922192
>CL53					
FE922116	FE922407	FE925165	FE923269	FE923281	FE924209
>CL54					
FE921388	FE921116	FE924638	FE922050	FE924156	FE922312
>CL55					
FE920370	FE921734	FE922144	FE924107	FE924427	
>CL56					
FE920686	FE921465	FE924701	FE922170	FE922002	
>CL57					
FE920357	FE921730	FE924933	FE924469	FE923965	
>CL58					
FE921816	FE920480	FE924582	FE924956	FE924543	
>CL59					
FE920561	FE921920	FE922987	FE923874	FE922637	
>CL60					
FE921618	FE920816	FE924074	FE924106	FE923649	
>CL61					
FE921861	FE921303	FE920513	FE922830	FE922834	
>CL62					
FE920420	FE921773	FE923238	FE923522	FE924914	
>CL63					
FE920559	FE920574	FE921864	FE921324	FE921951	
>CL64					
FE921305	FE921056	FE923288	FE923065	FE923940	
>CL65					

FE920577 >CL66	FE921952	FE921406	FE921100	FE924274
FE924612 >CL67	FE924131	FE924168	FE922819	FE924514
FE920919 >CL68	FE921856	FE920463	FE921160	FE924251
FE921926 >CL69	FE920551	FE924318	FE924273	FE922339
FE920966 >CL70	FE921241	FE925159	FE923152	FE923719
FE920887 >CL71	FE921210	FE924413	FE923363	FE923751
FE924391 >CL72	FE924401	FE924966	FE923963	FE924549
FE920995 >CL73	FE921397	FE921087	FE921243	FE922581
FE921703 >CL74	FE920834	FE920895	FE921198	FE923919
FE924424 >CL75	FE923646	FE923385	FE924522	FE924872
FE920990 >CL76	FE921614	FE920811	FE921238	FE922722
FE924704 >CL77	FE923530	FE924277	FE924292	FE922318
FE921841 >CL78	FE920462	FE922901	FE924501	FE922360
FE921361 >CL79	FE922444	FE924699	FE923081	FE922645
FE922158 >CL80	FE923573	FE923612	FE923627	FE924879
FE921255 >CL81	FE924909	FE924434	FE923903	FE925021
FE921819 >CL82	FE920451	FE924998	FE922503	FE922309
FE921597 >CL83	FE920818	FE923324	FE924847	FE924271
FE920959 >CL84	FE921795	FE921282	FE920395	FE924000
FE920714 >CL85	FE921484	FE924145	FE923943	FE923954
FE921413 >CL86	FE921134	FE923112	FE922631	FE924820
FE921671 >CL87	FE920835	FE920879	FE922402	FE925044
FE921558 >CL88	FE920738	FE920743	FE923401	FE923432
FE924991 >CL89	FE923312	FE923686	FE922288	FE924547
FE923501 >CL90	FE924345	FE922390	FE924087	FE922363
FE924571	FE924624	FE923292	FE925075	FE922343

>CL91				
FE925152	FE922445	FE924193	FE923888	FE924298
>CL92				
FE920564	FE921868	FE925173	FE922760	FE924437
>CL93				
FE921825	FE920484	FE922930	FE922433	FE922846
>CL94				
FE921691	FE920820	FE924596	FE923556	FE923909
>CL95				
FE924692	FE923001	FE923060	FE922886	FE924252
>CL96				
FE923493	FE924333	FE924945	FE924789	
>CL97				
FE920377	FE921778	FE923934	FE922021	
>CL98				
FE921808	FE921326	FE921029	FE920485	
>CL99				
FE921002	FE921231	FE922694	FE922178	
>CL100				
FE920978	FE921272	FE921310	FE921020	
>CL101				
FE924619	FE922418	FE924062	FE924778	
>CL102				
FE921379	FE921109	FE921208	FE924817	
>CL103				
FE920570	FE921960	FE924313	FE922257	
>CL104				
FE923184	FE923476	FE922492	FE923408	
>CL105				
FE921534	FE920646	FE920751	FE921965	
>CL106				
FE921787	FE920719	FE921453	FE924884	
>CL107				
FE920908	FE920407	FE921737	FE921185	
>CL108				
FE921318	FE921074	FE922414	FE924105	
>CL109				
FE921259	FE921000	FE920762	FE923899	
>CL110				
FE924460	FE922876	FE922355	FE923757	
>CL111				
FE925092	FE923447	FE922093	FE923304	
>CL112				
FE921594	FE920799	FE923291	FE923117	
>CL113				
FE921559	FE920405	FE921779	FE923377	
>CL114				
FE921143	FE921440	FE922277	FE924565	
>CL115				
FE922071	FE924808	FE923617	FE922032	
>CL116				

FE920362	FE921312	FE921057	FE921732
>CL117			
FE922404	FE924713	FE922583	FE922018
>CL118			
FE920593	FE921970	FE923234	FE924908
>CL119			
FE921175	FE923931	FE925035	FE925051
>CL120			
FE921571	FE920739	FE920755	FE923529
>CL121			
FE920478	FE922958	FE922512	FE923436
>CL122			
FE920557	FE921860	FE920428	FE921886
>CL123			
FE922435	FE923652	FE925023	FE923732
>CL124			
FE921656	FE920826	FE922906	FE922521
>CL125			
FE921001	FE921250	FE925198	FE924750
>CL126			
FE923232	FE923039	FE923100	FE923171
>CL127			
FE920822	FE921715	FE920883	FE922945
>CL128			
FE922108	FE922610	FE924512	FE924560
>CL129			
FE920583	FE921945	FE924341	FE924153
>CL130			
FE924610	FE923186	FE923259	FE923978
>CL131			
FE921541	FE920731	FE920747	FE924363
>CL132			
FE923465	FE925191	FE922133	FE924080
>CL133			
FE921267	FE921434	FE921112	FE925136
>CL134			
FE923201	FE923503	FE922988	FE922242
>CL135			
FE921786	FE920394	FE922664	FE923568
>CL136			
FE922415	FE923816	FE922245	FE923724
>CL137			
FE920988	FE921288	FE921226	FE924310
>CL138			
FE922383	FE924727	FE922640	FE924253
>CL139			
FE921669	FE920843	FE922037	FE924110
>CL140			
FE920920	FE921374	FE921149	FE921159
>CL141			
FE921881	FE921422	FE920495	FE925151

>CL142			
FE924653	FE924479	FE923924	FE923783
>CL143			
FE921552	FE925094	FE922955	FE924321
>CL144			
FE925180	FE923279	FE923674	FE924840
>CL145			
FE920655	FE921515	FE922589	FE924559
>CL146			
FE920922	FE922527	FE923361	FE922267
>CL147			
FE920676	FE921400	FE921110	FE921472
>CL148			
FE921628	FE920779	FE922488	FE924199
>CL149			
FE920590	FE921961	FE922117	FE923602
>CL150			
FE920598	FE921946	FE922693	FE922827
>CL151			
FE924765	FE924769	FE924208	FE922823
>CL152			
FE924954	FE924815	FE924862	FE924047
>CL153			
FE921683	FE920821	FE922177	FE923014
>CL154			
FE921405	FE921152	FE922963	FE925168
>CL155			
FE921799	FE920354	FE922046	FE923041
>CL156			
FE920632	FE921275	FE921957	FE922598
>CL157			
FE921294	FE921006	FE922180	FE924256
>CL158			
FE924913	FE923876	FE922022	FE922365
>CL159			
FE920963	FE921290	FE920432	FE923187
>CL160			
FE920880	FE920881	FE921186	FE921220
>CL161			
FE920977	FE921262	FE924340	FE922244
>CL162			
FE921587	FE921607	FE920789	FE920800
>CL163			
FE920625	FE921540	FE920728	FE921977
>CL164			
FE920594	FE923442	FE924415	FE921987
>CL165			
FE921796	FE920361	FE923851	FE923168
>CL166			
FE921319	FE921018	FE922308	
>CL167			

FE923521	FE923848	FE922815
>CL168		
FE921608	FE920803	FE922461
>CL169		
FE920645	FE924385	FE922000
>CL170		
FE922758	FE924783	FE925007
>CL171		
FE922187	FE923930	FE922828
>CL172		
FE925183	FE923862	FE924800
>CL173		
FE920372	FE921761	FE922786
>CL174		
FE920410	FE921781	FE923283
>CL175		
FE920703	FE921477	FE923285
>CL176		
FE923250	FE924312	FE923822
>CL177		
FE923575	FE924733	FE922564
>CL178		
FE923017	FE922789	FE924786
>CL179		
FE921393	FE921136	FE923941
>CL180		
FE920422	FE921736	FE922677
>CL181		
FE924911	FE923579	FE924831
>CL182		
FE920566	FE921934	FE925133
>CL183		
FE925018	FE924896	FE924297
>CL184		
FE922089	FE922470	FE922608
>CL185		
FE923998	FE923722	FE923764
>CL186		
FE921701	FE920833	FE923346
>CL187		
FE922912	FE922140	FE924860
>CL188		
FE920706	FE921520	FE923435
>CL189		
FE921409	FE921123	FE922011
>CL190		
FE921420	FE921121	FE922785
>CL191		
FE921603	FE921613	FE923462
>CL192		
FE922993	FE924220	FE923891

>CL193		
FE921929	FE920547	FE922028
>CL194		
FE920374	FE921744	FE922328
>CL195		
FE921723	FE923885	FE923782
>CL196		
FE920683	FE921459	FE924989
>CL197		
FE920612	FE924975	FE921984
>CL198		
FE925137	FE923536	FE923155
>CL199		
FE921623	FE920776	FE924132
>CL200		
FE921876	FE920545	FE922868
>CL201		
FE920589	FE921949	FE925110
>CL202		
FE920638	FE921947	FE924936
>CL203		
FE920640	FE923818	FE921991
>CL204		
FE920894	FE921172	FE924756
>CL205		
FE924594	FE923450	FE924715
>CL206		
FE925156	FE923607	FE923642
>CL207		
FE921685	FE920873	FE924012
>CL208		
FE920710	FE921514	FE922558
>CL209		
FE920588	FE921940	FE921784
>CL210		
FE921865	FE920544	FE923806
>CL211		
FE925148	FE923286	FE923323
>CL212		
FE921265	FE921014	FE924205
>CL213		
FE924967	FE923852	FE923311
>CL214		
FE923975	FE923982	FE923996
>CL215		
FE920709	FE921469	FE924703
>CL216		
FE920888	FE921214	FE923164
>CL217		
FE920891	FE921202	FE923597
>CL218		

FE920627	FE921942	FE924250
>CL219		
FE920584	FE921966	FE924948
>CL220		
FE921837	FE920472	FE924521
>CL221		
FE921877	FE920531	FE922670
>CL222		
FE924446	FE924814	FE922358
>CL223		
FE921394	FE921101	FE924172
>CL224		
FE921719	FE920847	FE925038
>CL225		
FE923695	FE923383	FE924864
>CL226		
FE921321	FE921030	FE923438
>CL227		
FE920363	FE921776	FE922184
>CL228		
FE921153	FE920893	FE923898
>CL229		
FE921807	FE921560	FE920474
>CL230		
FE921301	FE921069	FE923403
>CL231		
FE922038	FE924694	FE922122
>CL232		
FE923193	FE922922	FE924288
>CL233		
FE921665	FE920865	FE922548
>CL234		
FE924641	FE924102	FE922625
>CL235		
FE922449	FE923897	FE924243
>CL236		
FE921048	FE921342	FE924813
>CL237		
FE921041	FE921367	FE924685
>CL238		
FE920884	FE921195	FE922562
>CL239		
FE921269	FE921011	FE924996
>CL240		
FE921009	FE921246	FE922768
>CL241		
FE924716	FE924472	FE924016
>CL242		
FE921298	FE921007	FE924077
>CL243		
FE921335	FE921072	FE923667

>CL244		
FE925181	FE924745	FE922900
>CL245		
FE921071	FE921369	FE922821
>CL246		
FE923033	FE924144	FE923910
>CL247		
FE921681	FE920829	FE924249
>CL248		
FE921583	FE920746	FE924439
>CL249		
FE920651	FE921499	FE923551
>CL250		
FE921923	FE920536	FE923708
>CL251		
FE921626	FE920792	FE924904
>CL252		
FE920592	FE921980	FE924882
>CL253		
FE924628	FE922056	FE923968
>CL254		
FE921866	FE920506	FE924028
>CL255		
FE921533	FE920749	FE923515
>CL256		
FE921712	FE920854	FE924986
>CL257		
FE921602	FE920788	FE921769
>CL258		
FE922888	FE924265	FE923762
>CL259		
FE925109	FE923859	FE924894
>CL260		
FE921427	FE921145	FE922586
>CL261		
FE921635	FE921677	FE920807
>CL262		
FE921663	FE922726	FE922085
>CL263		
FE921699	FE920827	FE923540
>CL264		
FE920983	FE921293	FE924576
>CL265		
FE920663	FE921473	FE923700
>CL266		
FE921707	FE920872	FE922838
>CL267		
FE921675	FE920840	FE924450
>CL268		
FE921633	FE920804	FE924003
>CL269		

FE923864	FE922770	FE924182
>CL270		
FE923036	FE922528	FE923689
>CL271		
FE920409	FE921783	FE924464
>CL272		
FE920976	FE921261	FE924684
>CL273		
FE921716	FE920877	FE923959
>CL274		
FE921789	FE920373	FE924953
>CL275		
FE920412	FE921753	FE924620
>CL276		
FE925143	FE924351	FE922902
>CL277		
FE920967	FE921235	FE923211
>CL278		
FE921854	FE920461	FE922734
>CL279		
FE922775	FE924829	
>CL280		
FE920381	FE921780	
>CL281		
FE920424	FE921749	
>CL282		
FE924397	FE923819	
>CL283		
FE921205	FE922477	
>CL284		
FE921561	FE920745	
>CL285		
FE920643	FE921974	
>CL286		
FE920980	FE921229	
>CL287		
FE924972	FE923368	
>CL288		
FE923542	FE923682	
>CL289		
FE924994	FE922369	
>CL290		
FE922041	FE923748	
>CL291		
FE921300	FE920996	
>CL292		
FE924255	FE922372	
>CL293		
FE920940	FE921187	
>CL294		
FE923149	FE923440	

>CL295	
FE925194	FE922765
>CL296	
FE921688	FE920870
>CL297	
FE920711	FE921511
>CL298	
FE924753	FE925032
>CL299	
FE923272	FE924770
>CL300	
FE923185	FE922817
>CL301	
FE921264	FE921013
>CL302	
FE920649	FE921937
>CL303	
FE920985	FE921292
>CL304	
FE921726	FE920855
>CL305	
FE922437	FE922569
>CL306	
FE920555	FE921919
>CL307	
FE920591	FE921981
>CL308	
FE924211	FE922298
>CL309	
FE921874	FE920505
>CL310	
FE921805	FE920482
>CL311	
FE921043	FE921363
>CL312	
FE922138	FE924009
>CL313	
FE923662	FE923882
>CL314	
FE921421	FE921126
>CL315	
FE922800	FE925046
>CL316	
FE921804	FE920450
>CL317	
FE920365	FE921743
>CL318	
FE922498	FE924468
>CL319	
FE922914	FE924470
>CL320	

FE921921	FE920509
>CL321	
FE921862	FE920542
>CL322	
FE921809	FE920434
>CL323	
FE920691	FE921494
>CL324	
FE922097	FE922986
>CL325	
FE920824	FE921727
>CL326	
FE921660	FE920825
>CL327	
FE921215	FE923309
>CL328	
FE923581	FE923592
>CL329	
FE921566	FE921576
>CL330	
FE920579	FE921938
>CL331	
FE924526	FE924263
>CL332	
FE922430	FE922157
>CL333	
FE920597	FE921982
>CL334	
FE920611	FE921994
>CL335	
FE921313	FE921055
>CL336	
FE922747	FE923739
>CL337	
FE921898	FE920497
>CL338	
FE921924	FE920534
>CL339	
FE922701	FE924441
>CL340	
FE920633	FE921976
>CL341	
FE924617	FE924917
>CL342	
FE921340	FE921076
>CL343	
FE920673	FE921475
>CL344	
FE921068	FE921355
>CL345	
FE921398	FE921104

>CL346	
FE921309	FE921034
>CL347	
FE924448	FE922811
>CL348	
FE921117	FE921442
>CL349	
FE923805	FE923881
>CL350	
FE923599	FE922820
>CL351	
FE925150	FE923105
>CL352	
FE921380	FE921089
>CL353	
FE921884	FE920543
>CL354	
FE920928	FE921221
>CL355	
FE921832	FE920446
>CL356	
FE921323	FE921035
>CL357	
FE920387	FE921764
>CL358	
FE921390	FE921084
>CL359	
FE920380	FE921765
>CL360	
FE922106	FE923834
>CL361	
FE923608	FE923999
>CL362	
FE920556	FE921882
>CL363	
FE921146	FE921443
>CL364	
FE921333	FE921025
>CL365	
FE921575	FE920742
>CL366	
FE922197	FE923987
>CL367	
FE920560	FE921907
>CL368	
FE923603	FE923391
>CL369	
FE922468	FE923097
>CL370	
FE921931	FE920528
>CL371	

FE920675	FE921491
>CL372	
FE923350	FE924739
>CL373	
FE920653	FE921500
>CL374	
FE921666	FE920867
>CL375	
FE922669	FE922347
>CL376	
FE921667	FE920836
>CL377	
FE921137	FE921445
>CL378	
FE921930	FE920518
>CL379	
FE921695	FE920874
>CL380	
FE920580	FE922008
>CL381	
FE921910	FE920500
>CL382	
FE921032	FE921357
>CL383	
FE925182	FE922367
>CL384	
FE921813	FE920464
>CL385	
FE921788	FE920391
>CL386	
FE920613	FE922006
>CL387	
FE920935	FE921158
>CL388	
FE920596	FE922007
>CL389	
FE921873	FE920511
>CL390	
FE921797	FE920403
>CL391	
FE923537	FE924777
>CL392	
FE921542	FE920752
>CL393	
FE920539	FE924461
>CL394	
FE922465	FE923561
>CL395	
FE921383	FE921147
>CL396	
FE924166	FE924300

>CL397	
FE921814	FE920454
>CL398	
FE920563	FE921903
>CL399	
FE922700	FE923552
>CL400	
FE920982	FE921271
>CL401	
FE921817	FE920425
>CL402	
FE922960	FE925083
>CL403	
FE924665	FE924269
>CL404	
FE923379	FE922246
>CL405	
FE921694	FE920848
>CL406	
FE922663	FE924422
>CL407	
FE921916	FE920512
>CL408	
FE921642	FE920791
>CL409	
FE924575	FE923664
>CL410	
FE920712	FE921457
>CL411	
FE921668	FE920863
>CL412	
FE924362	FE924557
>CL413	
FE920677	FE921458
>CL414	
FE920715	FE921478
>CL415	
FE922051	FE923807
>CL416	
FE921556	FE920734
>CL417	
FE921830	FE920487
>CL418	
FE923516	FE924922
>CL419	
FE921901	FE920541
>CL420	
FE924992	FE923329
>CL421	
FE920367	FE921756
>CL422	

FE921827	FE920489
>CL423	
FE921702	FE920868
>CL424	
FE923698	FE922878
>CL425	
FE923301	FE923685
>CL426	
FE924122	FE923094
>CL427	
FE920457	FE923741
>CL428	
FE920882	FE921197
>CL429	
FE923490	FE924943
>CL430	
FE920654	FE921486
>CL431	
FE921899	FE922707
>CL432	
FE921872	FE920532
>CL433	
FE921834	FE920460
>CL434	
FE925131	FE925089
>CL435	
FE921724	FE923630
>CL436	
FE924983	FE924525
>CL437	
FE923601	FE922222
>CL438	
FE922653	FE923925
>CL439	
FE924319	FE922612
>CL440	
FE922927	FE923396
>CL441	
FE920600	FE921990
>CL442	
FE921320	FE921064
>CL443	
FE921040	FE921344
>CL444	
FE923407	FE922627
>CL445	
FE921810	FE920449
>CL446	
FE924524	FE924231
>CL447	
FE921650	FE920781

>CL448	
FE921424	FE921097
>CL449	
FE921710	FE920862
>CL450	
FE924650	FE923847
>CL451	
FE920616	FE921962
>CL452	
FE922553	FE924902
>CL453	
FE920932	FE921192
>CL454	
FE924365	FE924484
>CL455	
FE923644	FE925040
>CL456	
FE923459	FE922808
>CL457	
FE922728	FE924474
>CL458	
FE924736	FE922565
>CL459	
FE921624	FE920812
>CL460	
FE922049	FE924735
>CL461	
FE923519	FE924403
>CL462	
FE922646	FE923345
>CL463	
FE920419	FE924412
>CL464	
FE922204	FE924485
>CL465	
FE921630	FE920805
>CL466	
FE920930	FE921211
>CL467	
FE920406	FE921728
>CL468	
FE920777	FE922181
>CL469	
FE921579	FE923509
>CL470	
FE923038	FE922475
>CL471	
FE920648	FE921968
>CL472	
FE921867	FE920537
>CL473	

FE921058	FE921356
>CL474	
FE920582	FE922003
>CL475	
FE924793	FE924278
>CL476	
FE920360	FE921760
>CL477	
FE920956	FE921286
>CL478	
FE920944	FE921277
>CL479	
FE920608	FE921956
>CL480	
FE921330	FE921039
>CL481	
FE923190	FE922543
>CL482	
FE921268	FE921004
>CL483	
FE923260	FE922938
>CL484	
FE921389	FE921098
>CL485	
FE921554	FE920730
>CL486	
FE920923	FE921200
>CL487	
FE920717	FE921505
>CL488	
FE923511	FE925049
>CL489	
FE920903	FE921204
>CL490	
FE921154	FE920885
>CL491	
FE921392	FE921150
>CL492	
FE924623	FE922297
>CL493	
FE920984	FE921251
>CL494	
FE920690	FE921466
>CL495	
FE920918	FE921168
>CL496	
FE924410	FE922616
>CL497	
FE921332	FE921023
>CL498	
FE922439	FE923673

>CL499	
FE924207	FE923750
>CL500	
FE924280	FE923747
>CL501	
FE921256	FE921008
>CL502	
FE921651	FE920796
>CL503	
FE920641	FE921998
>CL504	
FE921661	FE920860
>CL505	
FE921339	FE921073
>CL506	
FE920660	FE921456
>CL507	
FE921592	FE920794
>CL508	
FE924218	FE923720
>CL509	
FE925184	FE922794
>CL510	
FE921803	FE923693
>CL511	
FE921641	FE920810
>CL512	
FE923175	FE925077
>CL513	
FE922391	FE923890
>CL514	
FE922708	FE922075
>CL515	
FE921655	FE920850
>CL516	
FE920708	FE921492
>CL517	
FE921625	FE920813
>CL518	
FE922469	FE924447
>CL519	
FE921646	FE920809
>CL520	
FE924458	FE922841
>CL521	
FE920896	FE921179
>CL522	
FE920707	FE921468
>CL523	
FE923640	FE922642
>CL524	

FE921021	FE921341
>CL525	
FE920924	FE921173
>CL526	
FE920696	FE921476
>CL527	
FE921636	FE920778
>CL528	
FE920614	FE921986
>CL529	
FE921266	FE920994
>CL530	
FE921391	FE921091
>CL531	
FE920416	FE921767
>CL532	
FE920355	FE921738
>CL533	
FE921879	FE920533
>CL534	
FE921629	FE920773
>CL535	
FE921414	FE921107
>CL536	
FE920901	FE921174
>CL537	
FE921274	FE921005
>CL538	
FE920897	FE921166
>CL539	
FE920713	FE921521
>CL540	
FE921574	FE920721
>CL541	
FE921847	FE920471
>CL542	
FE921895	FE920516
>CL543	
FE920948	FE921249
>CL544	
FE921917	FE920522
>CL545	
FE921401	FE921119
>CL546	
FE920572	FE921967
>CL547	
FE921108	FE921441
>CL548	
FE920685	FE921495
>CL549	
FE921842	FE920477

>CL550	
FE922025	FE924276
>CL551	
FE922624	FE923774
>CL552	
FE920954	FE921248
>CL553	
FE923044	FE922620
>CL554	
FE921790	FE920400
>CL555	
FE920578	FE921941
>CL556	
FE921573	FE920725
>CL557	
FE924005	FE923718
>CL558	
FE921802	FE920442
>CL559	
FE920386	FE921731
>CL560	
FE920681	FE921452
>CL561	
FE920668	FE921523
>CL562	
FE920701	FE921497
>CL563	
FE920399	FE921774
>CL564	
FE921395	FE921129
>CL565	
FE922996	FE922226
>CL566	
FE921308	FE923961
>CL567	
FE922413	FE922428
>CL568	
FE921065	FE921360
>CL569	
FE921700	FE920869
>CL570	
FE920716	FE921493
>CL571	
FE921820	FE920438
>CL572	
FE921061	FE921346
>CL573	
FE925169	FE923338
>CL574	
FE920938	FE921199
>CL575	

FE921871	FE920493
>CL576	
FE921823	FE920433
>CL577	
FE920396	FE921785
>CL578	
FE920759	FE921654
>CL579	
FE921118	FE921444
>CL580	
FE920610	FE921955
>CL581	
FE921686	FE920878
>CL582	
FE922660	FE923141
>CL583	
FE923566	FE924241
>CL584	
FE925125	FE923410
>CL585	
FE921015	FE921242
>CL586	
FE921412	FE921111
>CL587	
FE921411	FE921094
>CL588	
FE921913	FE920496
>CL589	
FE921793	FE920423
>CL590	
FE924534	FE923776
>CL591	
FE921858	FE920458
>CL592	
FE921670	FE920871
>CL593	
FE922607	FE922295
>CL594	
FE924372	FE923865
>CL595	
FE920605	FE921963
>CL596	
FE920957	FE921228
>CL597	
FE920554	FE921885
>CL598	
FE921567	FE923163
>CL599	
FE920352	FE921754
>CL600	
FE924098	FE923369

>CL601	
FE922633	FE924282
>CL602	
FE920384	FE921766
>CL603	
FE921165	FE920889
>CL604	
FE921798	FE920415
>CL605	
FE921904	FE920502
>CL606	
FE920631	FE921999
>CL607	
FE921870	FE920519
>CL608	
FE920623	FE922004
>CL609	
FE921620	FE920757
>CL610	
FE923545	FE923318
>CL611	
FE921302	FE921051
>CL612	
FE920975	FE921280
>CL613	
FE920674	FE921512
>CL614	
FE921334	FE921042
>CL615	
FE921857	FE920475
>CL616	
FE925127	FE924541
>CL617	
FE921682	FE923203
>CL618	
FE920909	FE921183
>CL619	
FE920953	FE921254
>CL620	
FE922655	FE924084
>CL621	
FE921564	FE923200
>CL622	
FE920617	FE921959
>CL623	
FE921604	FE920766
>CL624	
FE920634	FE921939
>CL625	
FE921430	FE921120
>CL626	

FE921826	FE920455
>CL627	
FE921551	FE920754
>CL628	
FE921547	FE920753
>CL629	
FE920628	FE921988
>CL630	
FE921102	FE921436
>CL631	
FE923846	FE923944
>CL632	
FE921883	FE920498
>CL633	
FE921852	FE920430
>CL634	
FE922790	FE923949
>CL635	
FE920414	FE921782
>CL636	
FE923921	FE924531
>CL637	
FE921709	FE920846
>CL638	
FE921831	FE920468
>CL639	
FE921569	FE920722
>CL640	
FE922684	FE924078
>CL641	
FE923825	FE924227
>CL642	
FE923624	FE923176
>CL643	
FE920697	FE921510
>CL644	
FE921890	FE920553
>CL645	
FE921568	FE923341
>CL646	
FE921586	FE920808
>CL647	
FE921905	FE920507
>CL648	
FE923809	FE923310
>CL649	
FE920917	FE921164
>CL650	
FE921176	FE924827
>CL651	
FE920604	FE921958

>CL652	
FE921593	FE920765
>CL653	
FE920376	FE921771
>CL654	
FE921024	FE921354
>CL655	
FE920558	FE921912
>CL656	
FE923824	FE922596
>CL657	
FE920581	FE921993
>CL658	
FE922915	FE924320
>CL659	
FE922954	FE923787
>CL660	
FE921386	FE921088
>CL661	
FE920388	FE921757
>CL662	
FE921408	FE921099
>CL663	
FE920662	FE921502
>CL664	
FE922139	FE923140
>CL665	
FE922191	FE922334
>CL666	
FE922129	FE923159
>CL667	
FE920587	FE921996
>CL668	
FE920666	FE921506
>CL669	
FE923229	FE924679
>CL670	
FE921045	FE921366
>CL671	
FE923870	FE923705
>CL672	
FE920699	FE921461
>CL673	
FE921375	FE921080
>CL674	
FE924215	FE924891
>CL675	
FE920926	FE921177
>CL676	
FE921846	FE920440
>CL677	

FE921619	FE920797
>CL678	
FE922746	FE922238
>CL679	
FE921327	FE921031
>CL680	
FE923554	FE922590
>CL681	
FE920684	FE921517
>CL682	
FE920607	FE922005
>CL683	
FE924836	FE923976
>CL684	
FE920429	FE923984
>CL685	
FE922688	FE922538
>CL686	
FE921378	FE921086
>CL687	
FE924656	FE923087
>CL688	
FE921611	FE920785
>CL689	
FE923588	FE925062
>CL690	
FE921258	FE920998
>CL691	
FE925033	FE923703
>CL692	
FE920979	FE921299
>CL693	
FE924942	FE923122
>CL694	
FE921617	FE920787
>CL695	
FE922970	FE925066
>CL696	
FE922940	FE922806
>CL697	
FE921612	FE920770
>CL698	
FE921674	FE920839
>CL699	
FE920902	FE921181
>CL700	
FE925122	FE925130
>CL701	
FE920575	FE923239
>CL702	
FE921295	FE921010

>CL703	
FE921528	FE920756
>CL704	
FE922719	FE922283
>CL705	
FE920620	FE921992
>CL706	
FE921372	FE921106
>CL707	
FE921680	FE920853
>CL708	
FE924072	FE923738
>CL709	
FE924919	FE922733
>CL710	
FE922135	FE924455
>CL711	
FE920599	FE922010
>CL712	
FE921531	FE920750
>CL713	
FE921821	FE920453
>CL714	
FE923137	FE924889
>CL715	
FE920664	FE921518
>CL716	
FE920964	FE921273
>CL717	
FE922918	FE922301
>CL718	
FE921806	FE920459
>CL719	
FE922107	FE922124
>CL720	
FE920763	FE921649
>CL721	
FE921130	FE921439
>CL722	
FE921410	FE921114
>CL723	
FE920962	FE921270
>CL724	
FE921822	FE920448
>CL725	
FE921843	FE920467
>CL726	
FE921396	FE921132
>CL727	
FE921537	FE920733
>CL728	

FE921385	FE921133
>CL729	
FE924920	FE924926
>CL730	
FE921925	FE920546
>CL731	
FE922058	FE924162
>CL732	
FE920665	FE921496
>CL733	
FE921637	FE920793
>CL734	
FE925050	FE923788
>CL735	
FE921853	FE920435
>CL736	
FE924562	FE924867
>CL737	
FE921687	FE920830
>CL738	
FE921720	FE920861
>CL739	
FE920626	FE921973
>CL740	
FE923470	FE925195
>CL741	
FE920659	FE921449
>CL742	
FE924921	FE924963
>CL743	
FE924614	FE924411
>CL744	
FE920636	FE921995
>CL745	
FE921792	FE920371
>CL746	
FE920900	FE921217
>CL747	
FE921714	FE920837
>CL748	
FE920389	FE921735
>CL749	
FE921658	FE920876
>CL750	
FE924331	FE923669
>CL751	
FE920705	FE921470
>CL752	
FE920921	FE921219
>CL753	
FE921075	FE921362

>CL754	
FE920619	FE921953
>CL755	
FE921644	FE920817
>CL756	
FE924440	FE922614
>CL757	
FE921894	FE920548
>CL758	
FE921609	FE920815
>CL759	
FE922956	FE924923
>CL760	
FE920968	FE921237
>CL761	
FE920672	FE921503
>CL762	
FE922201	FE922752
>CL763	
FE923504	FE922023
>CL764	
FE921570	FE924937
>CL765	
FE922953	FE924773
>CL766	
FE923557	FE925005
>CL767	
FE920602	FE921971
>CL768	
FE921662	FE920823
>CL769	
FE920421	FE921729
>CL770	
FE925064	FE922568
>CL771	
FE920635	FE921975
>CL772	
FE923792	FE924061
>CL773	
FE925153	FE923356
>CL774	
FE921717	FE920857
>CL775	
FE922398	FE922832
>CL776	
FE920906	FE921170
>CL777	
FE921902	FE920524
>CL778	
FE921316	FE921046
>CL779	

FE922174	FE924430
>CL780	
FE920669	FE921462
>CL781	
FE922762	FE925059
>CL782	
FE920408	FE921770
>CL783	
FE921384	FE921140
>CL784	
FE922272	FE924020
>CL785	
FE920698	FE921464
>CL786	
FE923586	FE924189